

PreCommit-HIVE-Build #19861 test - testMTQueries1 [Jenkins]



Web Clip

Regression

org.apache.hadoop.hive ql.TestMTQueries.testMTQueries1

Failing for the past 1 build

(Since  [#19861](#))[Took 23 sec.](#)

Error Message

Source '/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/junit-qfile-results/clientpositive/join2.q.out' does not exist

Stacktrace

```
java.io.FileNotFoundException: Source '/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/junit-qfile-results/clientpositive/join2.q.out' does not exist
    at org.apache.commons.io.FileUtils.checkFileRequirements(FileUtils.java:1383)
    at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:1060)
    at org.apache.commons.io.FileUtils.copyFile(FileUtils.java:1028)
    at org.apache.hadoop.hive.ql.QOutProcessor.maskPatterns(QOutProcessor.java:162)
    at org.apache.hadoop.hive.ql.QTestUtil.checkCliDriverResults(QTestUtil.java:932)
    at
    org.apache.hadoop.hive.ql.QTestRunnerUtils.queryListRunnerMultiThreaded(QTestRunnerUtils.java:152)
    at org.apache.hadoop.hive.ql.TestMTQueries.testMTQueries1(TestMTQueries.java:55)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:47)
    at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
```

```

at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:44)
at org.junit.internal.runners.statements.InvokeMethod.evaluate(InvokeMethod.java:17)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:271)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:70)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:50)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)
at org.junit.runners.ParentRunner.run(ParentRunner.java:309)
at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:365)
at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:273)
at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:238)
at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:159)
at
org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:379)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:340)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:125)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:413)

```

Standard Error

SLF4J: Class path contains multiple SLF4J bindings.

SLF4J: Found binding in [jar:file:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-slf4j-impl/2.12.1/log4j-slf4j-impl-2.12.1.jar!/org/slf4j/impl/StaticLoggerBinder.class]

SLF4J: Found binding in [jar:file:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/slf4j-log4j12/1.7.25/slf4j-log4j12-1.7.25.jar!/org/slf4j/impl/StaticLoggerBinder.class]

SLF4J: See http://www.slf4j.org/codes.html#multiple_bindings for an explanation.

SLF4J: Actual binding is of type [org.apache.logging.slf4j.Log4jLoggerFactory]

DEBUG StatusLogger Using ShutdownCallbackRegistry class

org.apache.logging.log4j.core.util.DefaultShutdownCallbackRegistry

DEBUG StatusLogger Took 0.086982 seconds to load 222 plugins from

sun.misc.Launcher\$AppClassLoader@135fbaa4

DEBUG StatusLogger PluginManager 'Converter' found 44 plugins

DEBUG StatusLogger Starting OutputStreamManager SYSTEM_OUT.false.false-1

DEBUG StatusLogger Starting LoggerContext[name=135fbaa4,

org.apache.logging.log4j.core.LoggerContext@6aeb35e6]

```
org.apache.logging.log4j.core.LoggerContext@6aeb35e6]...
```

```
DEBUG StatusLogger Reconfiguration started for context[name=135fbaa4] at URI null
(org.apache.logging.log4j.core.LoggerContext@6aeb35e6) with optional ClassLoader: null
```

```
DEBUG StatusLogger PluginManager 'ConfigurationFactory' found 4 plugins
```

```
DEBUG StatusLogger Using configurationFactory
```

```
org.apache.logging.log4j.core.config.ConfigurationFactory$Factory@4802796d
```

```
DEBUG StatusLogger Apache Log4j Core 2.12.1 initializing configuration
```

```
org.apache.logging.log4j.core.config.properties.PropertiesConfiguration@44c03695
```

```
DEBUG StatusLogger Installed 3 script engines
```

```
DEBUG StatusLogger Oracle Nashorn version: 1.8.0_102, language: ECMAScript, threading: Not Thread
Safe, compile: true, names: [nashorn, Nashorn, js, JS, JavaScript, javascript, ECMAScript, ecmaScript],
factory class: jdk.nashorn.api.scripting.NashornScriptEngineFactory
```

```
DEBUG StatusLogger Groovy Scripting Engine version: 2.0, language: Groovy, threading:
MULTITHREADED, compile: true, names: [groovy, Groovy], factory class:
```

```
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
```

```
DEBUG StatusLogger Scala Interpreter version: 1.0, language: Scala, threading: Not Thread Safe,
compile: true, names: [scala], factory class: scala.tools.nsc.interpreter.IMain$Factory
```

```
INFO StatusLogger Scanning for classes in '/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-common/4.0.0-SNAPSHOT/hive-common-4.0.0-SNAPSHOT.jar' matching
criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.PerfLogger matches
criteria annotated with @Plugin
```

```
INFO StatusLogger Scanning for classes in '/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-exec/4.0.0-SNAPSHOT/hive-exec-4.0.0-SNAPSHOT.jar' matching criteria
annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.HiveEventCounter$1
matches criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.LogDivertAppenderForTest
matches criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.syslog.SyslogSerDe
matches criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class
```

```
org.apache.hadoop.hive.ql.log.syslog.SyslogInputFormat$Location matches criteria annotated with
@Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.syslog.SyslogInputFormat
matches criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.syslog.SyslogParser
matches criteria annotated with @Plugin
```

```
DEBUG StatusLogger Checking to see if class
```

```
org.apache.hadoop.hive.ql.log.syslog.SyslogStorageHandler matches criteria annotated with @Plugin
```

```

org.apache.hadoop.hive.ql.log.syslog.SyslogStorageHandler matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.LogDivertAppenderForTest$TestFilter matches criteria annotated with
@Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.LogDivertAppender
matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.PidFilePatternConverter
matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.HiveEventCounter
matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.HiveEventCounter$EventCounts matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.NullAppender matches
criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.LogDivertAppender$NameFilter matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.SlidingFilenameRolloverStrategy$1 matches criteria annotated with
@Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.SlidingFilenameRolloverStrategy matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.HushableRandomAccessFileAppender matches criteria annotated with
@Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.PerfLogger matches
criteria annotated with @Plugin
INFO StatusLogger Scanning for classes in '/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-exec/4.0.0-SNAPSHOT/hive-exec-4.0.0-SNAPSHOT-tests.jar' matching
criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.TestLog4j2Appenders
matches criteria annotated with @Plugin
DEBUG StatusLogger Checking to see if class
org.apache.hadoop.hive.ql.log.TestSlidingFilenameRolloverStrategy matches criteria annotated with
@Plugin
DEBUG StatusLogger Checking to see if class org.apache.hadoop.hive.ql.log.TestSyslogInputFormat
matches criteria annotated with @Plugin
DEBUG StatusLogger Took 0.050792 seconds to load 7 plugins from package
org.apache.hadoop.hive.ql.log
DEBUG StatusLogger PluginManager 'Core' found 129 plugins
DEBUG StatusLogger PluginManager 'Local' found 0 plugins

```

```

DEBUG StatusLogger PluginManager 'Level' found 0 plugins
DEBUG StatusLogger Building Plugin[name=property,
class=org.apache.logging.log4j.core.config.Property].
TRACE StatusLogger TypeConverterRegistry initializing.
DEBUG StatusLogger PluginManager 'TypeConverter' found 26 plugins
DEBUG StatusLogger createProperty(name="hive.log.file", value="hive.log")
DEBUG StatusLogger Building Plugin[name=property,
class=org.apache.logging.log4j.core.config.Property].
DEBUG StatusLogger createProperty(name="hive.log.dir", value="/home/hiveptest/34.69.225.53-
hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/log")
DEBUG StatusLogger Building Plugin[name=property,
class=org.apache.logging.log4j.core.config.Property].
DEBUG StatusLogger createProperty(name="hive.root.logger", value="DRFA")
DEBUG StatusLogger Building Plugin[name=property,
class=org.apache.logging.log4j.core.config.Property].
DEBUG StatusLogger createProperty(name="hive.log.level", value="DEBUG")
DEBUG StatusLogger Building Plugin[name=property,
class=org.apache.logging.log4j.core.config.Property].
DEBUG StatusLogger createProperty(name="hive.test.console.log.level", value="INFO")
DEBUG StatusLogger Building Plugin[name=properties,
class=org.apache.logging.log4j.core.config.PropertiesPlugin].
DEBUG StatusLogger configureSubstitutor(={hive.log.file=hive.log,
hive.log.dir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/log, hive.root.logger=DRFA, hive.log.level=DEBUG, hive.test.console.log.level=INFO},
Configuration(HiveLog4j2Test))
DEBUG StatusLogger PluginManager 'Lookup' found 14 plugins
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN", name="org.apache.hadoop.ipc",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.hadoop.security",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.hadoop.hdfs",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].

```

```

class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.hadoop.hdfs.server", includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test),
Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO",
name="org.apache.hadoop.metrics2", includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test),
Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.mortbay",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.hadoop.yarn",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.hadoop.yarn.server", includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test),
Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.tez",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="ERROR",
name="org.apache.hadoop.conf.Configuration", includeLocation="null", ={}, ={},
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.zookeeper",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.zookeeper.server.ServerCnxn", includeLocation="null", ={}, ={},
Configuration(HiveLog4j2Test), Filter=null)

```

```
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.zookeeper.server.NIOServerCnxn", includeLocation="null", ={}, ={}),
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.zookeeper.ClientCnxn", includeLocation="null", ={}, ={}),
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.zookeeper.ClientCnxnSocket", includeLocation="null", ={}, ={}),
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN",
name="org.apache.zookeeper.ClientCnxnSocketNIO", includeLocation="null", ={}, ={}),
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="ERROR", name="DataNucleus",
includeLocation="null", ={}, ={}), Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="ERROR", name="Datastore",
includeLocation="null", ={}, ={}), Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="ERROR", name="JPOX",
includeLocation="null", ={}, ={}), Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO",
name="org.apache.hadoop.hive ql.exec.Operator", includeLocation="null", ={}, ={}),
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
```

```

class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO",
name="org.apache.hadoop.hive.serde2.lazy", includeLocation="null", ={}, ={},
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO",
name="org.apache.hadoop.hive.metastore.ObjectStore", includeLocation="null", ={}, ={},
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO",
name="org.apache.calcite.plan.RelOptPlanner", includeLocation="null", ={}, ={},
Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="com.amazonaws",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="INFO", name="org.apache.http",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN", name="org.apache.thrift",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN", name="org.eclipse.jetty",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=logger,
class=org.apache.logging.log4j.core.config.LoggerConfig].
DEBUG StatusLogger createLogger(additivity="true", level="WARN", name="BlockStateChange",
includeLocation="null", ={}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=AppenderRef,
class=org.apache.logging.log4j.core.config.AppenderRef].
DEBUG StatusLogger createAppenderRef(ref="console", level="INFO", Filter=null)
DEBUG StatusLogger Building Plugin[name=AppenderRef,
class=org.apache.logging.log4j.core.config.AppenderRef].

```



```

DEBUG StatusLogger createAppenderRet(ret="DRFA", level="null", Filter=null)
DEBUG StatusLogger Building Plugin[name=root,
class=org.apache.logging.log4j.core.config.LoggerConfig$RootLogger].
DEBUG StatusLogger createLogger(additivity="null", level="DEBUG", includeLocation="null", ={console,
DRFA}, ={}, Configuration(HiveLog4j2Test), Filter=null)
DEBUG StatusLogger Building Plugin[name=loggers,
class=org.apache.logging.log4j.core.config.LoggersPlugin].
DEBUG StatusLogger createLoggers(={org.apache.hadoop.ipc, org.apache.hadoop.security,
org.apache.hadoop.hdfs, org.apache.hadoop.hdfs.server, org.apache.hadoop.metrics2, org.mortbay,
org.apache.hadoop.yarn, org.apache.hadoop.yarn.server, org.apache.tez,
org.apache.hadoop.conf.Configuration, org.apache.zookeeper,
org.apache.zookeeper.server.ServerCnxn, org.apache.zookeeper.server.NIOServerCnxn,
org.apache.zookeeper.ClientCnxn, org.apache.zookeeper.ClientCnxnSocket,
org.apache.zookeeper.ClientCnxnSocketNIO, DataNucleus, Datastore, JPOX,
org.apache.hadoop.hive.ql.exec.Operator, org.apache.hadoop.hive.serde2.lazy,
org.apache.hadoop.hive.metastore.ObjectStore, org.apache.calcite.plan.RelOptPlanner,
com.amazonaws, org.apache.http, org.apache.thrift, org.eclipse.jetty, BlockStateChange, root})
DEBUG StatusLogger Building Plugin[name=layout,
class=org.apache.logging.log4j.core.layout.PatternLayout].
DEBUG StatusLogger PatternLayout$Builder(pattern="%d{ISO8601} %5p [%t] %c{2}: %m%n",
PatternSelector=null, Configuration(HiveLog4j2Test), Replace=null, charset="null",
alwaysWriteExceptions="null", disableAnsi="null", noConsoleNoAnsi="null", header="null", footer="null")
DEBUG StatusLogger PluginManager 'Converter' found 44 plugins
DEBUG StatusLogger Building Plugin[name=appender,
class=org.apache.logging.log4j.core.appender.ConsoleAppender].
DEBUG StatusLogger ConsoleAppender$Builder(target="SYSTEM_ERR", follow="null", direct="null",
bufferedIo="null", bufferSize="null", immediateFlush="null", ignoreExceptions="null",
PatternLayout(%d{ISO8601} %5p [%t] %c{2}: %m%n), name="console", Configuration(HiveLog4j2Test),
Filter=null, ={})
DEBUG StatusLogger Starting OutputStreamManager SYSTEM_ERR.false.false
DEBUG StatusLogger Building Plugin[name=layout,
class=org.apache.logging.log4j.core.layout.PatternLayout].
DEBUG StatusLogger PatternLayout$Builder(pattern="%d{ISO8601} %5p [%t] %c{2}: %m%n",
PatternSelector=null, Configuration(HiveLog4j2Test), Replace=null, charset="null",
alwaysWriteExceptions="null", disableAnsi="null", noConsoleNoAnsi="null", header="null", footer="null")
DEBUG StatusLogger Building Plugin[name=TimeBasedTriggeringPolicy,
class=org.apache.logging.log4j.core.appender.rolling.TimeBasedTriggeringPolicy].
DEBUG StatusLogger TimeBasedTriggeringPolicy$Builder(interval="1", modulate="true",
maxRandomDelay="null")

```

```

DEBUG StatusLogger Building Plugin[name=Policies,
class=org.apache.logging.log4j.core.appender.rolling.CompositeTriggeringPolicy].
DEBUG StatusLogger createPolicy(={TimeBasedTriggeringPolicy(nextRolloverMillis=0, interval=1,
modulate=true)})
DEBUG StatusLogger Building Plugin[name=DefaultRolloverStrategy,
class=org.apache.logging.log4j.core.appender.rolling.DefaultRolloverStrategy].
DEBUG StatusLogger DefaultRolloverStrategy$Builder(max="30", min="null", fileIndex="null",
compressionLevel="null", ={}, stopCustomActionsOnError="null", tempCompressedFilePattern="null",
Configuration(HiveLog4j2Test))
DEBUG StatusLogger Building Plugin[name=appender,
class=org.apache.logging.log4j.core.appender.RollingRandomAccessFileAppender].
DEBUG StatusLogger
RollingRandomAccessFileAppender$Builder(fileName="/home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-unit/target/tmp/log/hive.log",
filePattern="/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/log/hive.log.%d{yyyy-MM-dd}", append="null",
Policies(CompositeTriggeringPolicy(policies=[TimeBasedTriggeringPolicy(nextRolloverMillis=0,
interval=1, modulate=true)])), DefaultRolloverStrategy(DefaultRolloverStrategy(min=1, max=30,
useMax=true)), advertise="null", advertiseURI="null", filePermissions="null", fileOwner="null",
fileGroup="null", bufferedIo="null", bufferSize="null", immediateFlush="null", ignoreExceptions="null",
PatternLayout(%d{ISO8601} %5p [%t] %c{2}: %m%n), name="DRFA", Configuration(HiveLog4j2Test),
Filter=null, ={})
TRACE StatusLogger RandomAccessFile /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-
source-source/itests/hive-unit/target/tmp/log/hive.log seek to 0
DEBUG StatusLogger Starting RollingRandomAccessFileManager /home/hiveptest/34.69.225.53-
hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/log/hive.log
DEBUG StatusLogger PluginManager 'FileConverter' found 3 plugins
DEBUG StatusLogger Setting prev file time to 2019-12-10T16:55:13.947-0800
DEBUG StatusLogger Initializing triggering policy CompositeTriggeringPolicy(policies=
[TimeBasedTriggeringPolicy(nextRolloverMillis=0, interval=1, modulate=true)])
DEBUG StatusLogger Initializing triggering policy TimeBasedTriggeringPolicy(nextRolloverMillis=0,
interval=1, modulate=true)
TRACE StatusLogger PatternProcessor.getNextTime returning 2019/12/11-00:00:00.000,
nextFileTime=2019/12/10-00:00:00.000, prevFileTime=1969/12/31-16:00:00.000, current=2019/12/10-
16:55:13.959, freq=DAILY
TRACE StatusLogger PatternProcessor.getNextTime returning 2019/12/11-00:00:00.000,
nextFileTime=2019/12/10-00:00:00.000, prevFileTime=2019/12/10-00:00:00.000, current=2019/12/10-
16:55:13.960, freq=DAILY
DEBUG StatusLogger Building Plugin[name=appenders,

```

```
class=org.apache.logging.log4j.core.config.AppendersPlugin].
DEBUG StatusLogger createAppendors(={console, DRFA})
DEBUG StatusLogger Configuration
org.apache.logging.log4j.core.config.properties.PropertiesConfiguration@44c03695 initialized
DEBUG StatusLogger Starting configuration
org.apache.logging.log4j.core.config.properties.PropertiesConfiguration@44c03695
DEBUG StatusLogger Started configuration
org.apache.logging.log4j.core.config.properties.PropertiesConfiguration@44c03695 OK.
TRACE StatusLogger Stopping org.apache.logging.log4j.core.config.DefaultConfiguration@176d53b2...
TRACE StatusLogger DefaultConfiguration notified 1 ReliabilityStrategies that config will be stopped.
TRACE StatusLogger DefaultConfiguration stopping root LoggerConfig.
TRACE StatusLogger DefaultConfiguration notifying ReliabilityStrategies that appenders will be stopped.
TRACE StatusLogger DefaultConfiguration stopping remaining Appendors.
DEBUG StatusLogger Shutting down OutputStreamManager SYSTEM_OUT.false.false-1
DEBUG StatusLogger Shut down OutputStreamManager SYSTEM_OUT.false.false-1, all resources
released: true
DEBUG StatusLogger Appender DefaultConsole-1 stopped with status true
TRACE StatusLogger DefaultConfiguration stopped 1 remaining Appendors.
TRACE StatusLogger DefaultConfiguration cleaning Appendors from 1 LoggerConfigs.
DEBUG StatusLogger Stopped org.apache.logging.log4j.core.config.DefaultConfiguration@176d53b2
OK
TRACE StatusLogger Reregistering MBeans after reconfigure.
Selector=org.apache.logging.log4j.core.selector.ClassLoaderContextSelector@b09fac1
TRACE StatusLogger Reregistering context (1/1): '135fbaa4'
org.apache.logging.log4j.core.LoggerContext@6aeb35e6
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=StatusLogger'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=ContextSelector'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=*'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=Appendors,name=*'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=AsyncAppendors,name=*'
TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=AsyncLoggerRingBuffer'
```

TRACE StatusLogger Unregistering but no MBeans found matching
'org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=*,subtype=RingBuffer'
DEBUG StatusLogger Registering MBean org.apache.logging.log4j2:type=135fbaa4
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=StatusLogger
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=ContextSelector
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.tez
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=com.amazonaws
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.thrift
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.eclipse.jetty
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=BlockStateChange
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.metrics2
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper.ClientCnxn
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.security
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=JPOX
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.yarn.server
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.conf.Configuration
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.yarn
DEBUG StatusLogger Registering MBean
org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper.ClientCnxn
SocketNIO

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper.server.ServerCnxn

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.hdfs

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.hdfs.server

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.hive.serde2.la
zy

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper.ClientCnxn
Socket

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.mortbay

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.http

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.hive ql.exec.O
perator

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=DataNucleus

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=Datastore

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.hive.metastore
.ObjectStore

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.hadoop.ipc

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.zookeeper.server.NIO
ServerCnxn

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Loggers,name=org.apache.calcite.plan.RelOptPla
nner

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Appenders,name=console

DEBUG StatusLogger Registering MBean

org.apache.logging.log4j2:type=135fbaa4,component=Appenders,name=DRFA

TRACE StatusLogger Using default SystemClock for timestamps.

DEBUG StatusLogger org.apache.logging.log4j.core.util.SystemClock does not support precise timestamps.

TRACE StatusLogger Using DummyNanoClock for nanosecond timestamps.

DEBUG StatusLogger Reconfiguration complete for context[name=135fbaa4] at URI /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/testconf/hive-log4j2.properties (org.apache.logging.log4j.core.LoggerContext@6aeb35e6) with optional ClassLoader: null

DEBUG StatusLogger Shutdown hook enabled. Registering a new one.

DEBUG StatusLogger LoggerContext[name=135fbaa4, org.apache.logging.log4j.core.LoggerContext@6aeb35e6] started OK.

2019-12-10T16:55:14,045 INFO [main] QTestUtil: Setting up QTestUtil with outDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/./../ql/src/test/results/clientpositive, logDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/junit-qlfile-results/clientpositive, clusterType=NONE, confDir=null, initScript=q_test_init_src_with_stats.sql, cleanupScript=q_test_cleanup_src_with_stats.sql, withLlaplo=false, fsType=LOCAL

DEBUG StatusLogger AsyncLogger.ThreadNameStrategy=UNCACHED (user specified null, default is UNCACHED)

TRACE StatusLogger Using default SystemClock for timestamps.

DEBUG StatusLogger org.apache.logging.log4j.core.util.SystemClock does not support precise timestamps.

2019-12-10T16:55:14,086 INFO [main] conf.HiveConf: Found configuration file file:/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/testconf/hive-site.xml

2019-12-10T16:55:14,620 WARN [main] util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable

2019-12-10T16:55:14,702 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.size does not exist

2019-12-10T16:55:14,702 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.override does not exist

2019-12-10T16:55:14,703 WARN [main] conf.HiveConf: HiveConf of name hive.metastore.metadb.dir does not exist

2019-12-10T16:55:14,703 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.alloc.min does not exist

2019-12-10T16:55:14,703 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.hivesite does not exist

2019-12-10T16:55:14,704 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.alloc.max does not exist

2019-12-10T16:55:14,705 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.metastoresite does not exist

2019-12-10T16:55:14,705 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.arena.size does not exist

2019-12-10T16:55:14,706 WARN [main] conf.HiveConf: HiveConf of name hive.stats.key.prefix.reserve.length does not exist

2019-12-10T16:55:15,128 INFO [main] server.ZooKeeperServer: Server environment:zookeeper.version=3.5.5-390fe37ea45dee01bf87dc1c042b5e3dcce88653, built on 05/03/2019 12:07 GMT

2019-12-10T16:55:15,128 INFO [main] server.ZooKeeperServer: Server environment:host.name=hiveptest-slaves-5d0.c.gcp-hive-upstream.internal

2019-12-10T16:55:15,128 INFO [main] server.ZooKeeperServer: Server environment:java.version=1.8.0_102

2019-12-10T16:55:15,129 INFO [main] server.ZooKeeperServer: Server environment:java.vendor=Oracle Corporation

2019-12-10T16:55:15,129 INFO [main] server.ZooKeeperServer: Server environment:java.home=/usr/lib/jvm/java-8-openjdk-amd64/jre

2019-12-10T16:55:15,129 INFO [main] server.ZooKeeperServer: Server environment:java.class.path=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/test-classes:/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/classes:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-common/4.0.0-SNAPSHOT/hive-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-classification/4.0.0-SNAPSHOT/hive-classification-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-shims/4.0.0-SNAPSHOT/hive-shims-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/shims/hive-shims-common/4.0.0-SNAPSHOT/hive-shims-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/shims/hive-shims-0.23/4.0.0-SNAPSHOT/hive-shims-0.23-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/shims/hive-shims-scheduler/4.0.0-SNAPSHOT/hive-shims-scheduler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-storage-api/2.7.0-SNAPSHOT/hive-storage-api-2.7.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-common/4.0.0-SNAPSHOT/hive-standalone-metastore-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-cli/commons-cli/1.2/commons-cli-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-lang3/3.9/commons-lang3-3.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/orc/orc-core/1.5.8/orc-core-1.5.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/orc/orc-shims/1.5.8/orc-shims-1.5.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/airlift/aircompressor/0.10/aircompressor-

0.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/jline/jline/2.12/jline-
2.12.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/javax.servlet-
api/3.1.0/javax.servlet-api-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-http/9.3.27.v20190418/jetty-http-
9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-
rewrite/9.3.27.v20190418/jetty-rewrite-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-client/9.3.27.v20190418/jetty-client-
9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-
server/9.3.27.v20190418/jetty-server-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-io/9.3.27.v20190418/jetty-io-
9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-
servlet/9.3.27.v20190418/jetty-servlet-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-security/9.3.27.v20190418/jetty-security-
9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-
webapp/9.3.27.v20190418/jetty-webapp-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-xml/9.3.27.v20190418/jetty-xml-
9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/joda-time/joda-time/2.9.9/joda-
time-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-1.2-
api/2.12.1/log4j-1.2-api-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/logging/log4j/log4j-api/2.12.1/log4j-api-2.12.1.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/logging/log4j/log4j-web/2.12.1/log4j-web-
2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-slf4j-
impl/2.12.1/log4j-slf4j-impl-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/commons/commons-compress/1.19/commons-compress-
1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/ant/ant/1.9.1/ant-
1.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/ant/ant-launcher/1.9.1/ant-
launcher-1.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/jpam/jpam/1.1/jpam-
1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/tdunning/json/1.8/json-
1.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/dropwizard/metrics/metrics-core/3.1.0/metrics-
core-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/dropwizard/metrics/metrics-
jvm/3.1.0/metrics-jvm-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/io/dropwizard/metrics/metrics-json/3.1.0/metrics-json-3.1.0.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/com/fasterxml/jackson/core/jackson-databind/2.9.9/jackson-databind-
2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/joshelser/dropwizard-metrics-
hadoop-metrics2-reporter/0.1.2/dropwizard-metrics-hadoop-metrics2-reporter-
0.1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javolution/javolution/5.5.1/javolution-
5.5.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-jdbc/4.0.0-
SNAPSHOT/hive-jdbc-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-metastore/4.0.0-SNAPSHOT/hive-metastore-4.0.0-

SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-api/0.6.0/tephra-api-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-core/0.6.0/tephra-core-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/inject/extensions/guice-assistedinject/3.0/guice-assistedinject-3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/it/unimi/dsi/fastutil/6.5.6/fastutil-6.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-common/0.6.0-incubating/twill-common-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-core/0.6.0-incubating/twill-core-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-api/0.6.0-incubating/twill-api-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-discovery-api/0.6.0-incubating/twill-discovery-api-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-discovery-core/0.6.0-incubating/twill-discovery-core-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-zookeeper/0.6.0-incubating/twill-zookeeper-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-hbase-compat-1.0/0.6.0/tephra-hbase-compat-1.0-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-service-rpc/4.0.0-SNAPSHOT/hive-service-rpc-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/httpcomponents/httpclient/4.5.6/httpclient-4.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/httpcomponents/httpcore/4.4.10/httpcore-4.4.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/thrift/libthrift/0.9.3-1/libthrift-0.9.3-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/zookeeper/zookeeper/3.5.5/zookeeper-3.5.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/zookeeper/zookeeper-jute/3.5.5/zookeeper-jute-3.5.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-framework/4.2.0/curator-framework-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-jdbc-handler/4.0.0-SNAPSHOT/hive-jdbc-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-dbcp2/2.6.0/commons-dbcp2-2.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-pool2/2.6.1/commons-pool2-2.6.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-service/4.0.0-SNAPSHOT/hive-service-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/jsp/javax.servlet.jsp-api/2.3.1/javax.servlet.jsp-api-2.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-codec/commons-codec/1.7/commons-codec-1.7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-runner/9.3.27.v20190418/jetty-runner-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-plus/9.3.27.v20190418/jetty-plus-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-annotations/9.3.27.v20190418/jetty-annotations-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm/6.0/asm-

6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm-commons/6.0/asm-commons-6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm-tree/6.0/asm-tree-6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-jaas/9.3.27.v20190418/jetty-jaas-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/websocket/websocket-server/9.3.27.v20190418/websocket-server-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/websocket/websocket-common/9.3.27.v20190418/websocket-common-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/websocket/websocket-api/9.3.27.v20190418/websocket-api-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/websocket/websocket-client/9.3.27.v20190418/websocket-client-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/websocket/websocket-servlet/9.3.27.v20190418/websocket-servlet-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-jndi/9.3.27.v20190418/jetty-jndi-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/apache-jsp/9.3.27.v20190418/apache-jsp-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/toolchain/jetty-schemas/3.1/jetty-schemas-3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jdt/core/compiler/ecj/4.4.2/ecj-4.4.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/apache-jstl/9.3.27.v20190418/apache-jstl-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/taglibs/taglibs-standard-spec/1.2.5/taglibs-standard-spec-1.2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/taglibs/taglibs-standard-impl/1.2.5/taglibs-standard-impl-1.2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/thrift/libfb303/0.9.3/libfb303-0.9.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-client/4.2.0/curator-client-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-recipes/4.2.0/curator-recipes-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/jamon/jamon-runtime/2.3.1/jamon-runtime-2.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-exec/4.0.0-SNAPSHOT/hive-exec-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-vector-code-gen/4.0.0-SNAPSHOT/hive-vector-code-gen-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/velocity/velocity/1.5/velocity-1.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-tez/4.0.0-SNAPSHOT/hive-llap-tez-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-io/commons-io/2.6/commons-io-2.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-core/2.12.1/log4j-core-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/antlr/antlr-runtime/3.5.2/antlr-runtime-3.5.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/antlr/ST4/4.0.4/ST4-4.0.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/ivy/ivy/2.4.0/ivy-2.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-

2/maven/org/codehaus/groovy/groovy-all/2.4.11/groovy-all-2.4.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/datanucleus-core/4.1.17/datanucleus-core-4.1.17.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-core/1.21.0/calcite-core-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-ling4j/1.21.0/calcite-ling4j-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/esri/geometry/esri-geometry-api/2.2.0/esri-geometry-api-2.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/dataformat/jackson-dataformat-yaml/2.9.9/jackson-dataformat-yaml-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/yaml/snakeyaml/1.23/snakeyaml-1.23.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/yahoo/datasketches/sketches-core/0.9.0/sketches-core-0.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/yahoo/datasketches/memory/0.9.0/memory-0.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jayway/jsonpath/json-path/2.4.0/json-path-2.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/janino/janino/3.0.11/janino-3.0.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/janino/commons-compiler/3.0.11/commons-compiler-3.0.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-druid/1.21.0/calcite-druid-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/avatica/avatica/1.12.0/avatica-1.12.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/code/gson/gson/2.2.4/gson-2.2.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/stax/stax-api/1.0.1/stax-api-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/reflections/reflections/0.9.10/reflections-0.9.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/javassist/javassist/3.19.0-GA/javassist-3.19.0-GA.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-server/4.0.0-SNAPSHOT/hive-llap-server-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-common/4.0.0-SNAPSHOT/hive-llap-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-client/4.0.0-SNAPSHOT/hive-llap-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-all/4.1.17.Final/netty-all-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty/3.10.5.Final/netty-3.10.5.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro/1.8.2/avro-1.8.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-core-asl/1.9.13/jackson-core-asl-1.9.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-mapper-asl/1.9.13/jackson-mapper-asl-1.9.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/thoughtworks/paranamer/paranamer/2.7/paranamer-2.7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/tukaani/xz/1.5/xz-1.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jettison/jettison/1.1/jettison-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-util/9.3.27.v20190418/jetty-util-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-common/4.0.0-SNAPSHOT/hive-llap-common-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-

hiveptest-2/maven/org/apache/hbase/hbase-hadoop2-compat/2.0.0-alpha4/hbase-hadoop2-compat-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-client/2.0.0-alpha4/hbase-client-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/jruby/jcodings/jcodings/1.0.18/jcodings-1.0.18.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/jruby/joni/joni/2.1.11/joni-2.1.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-mapreduce/2.0.0-alpha4/hbase-mapreduce-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-common/2.0.0-alpha4/hbase-common-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop-compat/2.0.0-alpha4/hbase-hadoop-compat-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-ext-client/4.0.0-SNAPSHOT/hive-llap-ext-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-server/4.0.0-SNAPSHOT/hive-llap-server-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-hcatalog-core/4.0.0-SNAPSHOT/hive-hcatalog-core-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/guava/guava/19.0/guava-19.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/core/jackson-annotations/2.9.9/jackson-annotations-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/core/jackson-core/2.9.9/jackson-core-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-annotations/3.1.0/hadoop-annotations-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-hdfs/3.1.0/hadoop-hdfs-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-hcatalog-streaming/4.0.0-SNAPSHOT/hive-hcatalog-streaming-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-streaming/4.0.0-SNAPSHOT/hive-streaming-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-hcatalog-server-extensions/4.0.0-SNAPSHOT/hive-hcatalog-server-extensions-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/jakarta/jms/jakarta.jms-api/2.0.2/jakarta.jms-api-2.0.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-webhcat-java-client/4.0.0-SNAPSHOT/hive-webhcat-java-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-it-util/4.0.0-SNAPSHOT/hive-it-util-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-minicluster/1.7.3/accumulo-minicluster-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/beust/jcommander/1.32/jcommander-1.32.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-configuration/commons-configuration/1.6/commons-configuration-1.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-digester/commons-digester/1.8/commons-digester-1.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-core/1.7.3/accumulo-core-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-math/2.1/commons-math-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-qa/1.7.3/accumulo-qa-

1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-master/1.7.3/accumulo-master-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-monitor/1.7.3/accumulo-monitor-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-shell/1.7.3/accumulo-shell-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-server-base/1.7.3/accumulo-server-base-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-start/1.7.3/accumulo-start-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-tracer/1.7.3/accumulo-tracer-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-tserver/1.7.3/accumulo-tserver-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-vfs2/2.1/commons-vfs2-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-accumulo-handler/4.0.0-SNAPSHOT/hive-accumulo-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-fate/1.7.3/accumulo-fate-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-trace/1.7.3/accumulo-trace-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-accumulo-handler/4.0.0-SNAPSHOT/hive-accumulo-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-hbase-handler/4.0.0-SNAPSHOT/hive-hbase-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-hbase-handler/4.0.0-SNAPSHOT/hive-hbase-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-kudu-handler/4.0.0-SNAPSHOT/hive-kudu-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kudu/kudu-client/1.10.0/kudu-client-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/stumbleupon/async/1.4.1/async-1.4.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-kudu-handler/4.0.0-SNAPSHOT/hive-kudu-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kudu/kudu-test-utils/1.10.0/kudu-test-utils-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/hamcrest/hamcrest/2.1/hamcrest-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-mapreduce/2.0.0-alpha4/hbase-mapreduce-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-common/3.1.0/hadoop-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-math3/3.1.1/commons-math3-3.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-net/commons-net/3.6/commons-net-3.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-collections/commons-collections/3.2.2/commons-collections-3.2.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/jsp/jsp-api/2.1/jsp-api-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-core/1.19/jersey-core-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/iavax/ws/rs/isr311-api/1.1.1/isr311-api-1.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-

2/maven/com/sun/jersey/jersey-json/1.19/jersey-json-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/xml/bind/jaxb-impl/2.2.3-1/jaxb-impl-2.2.3-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-jaxrs/1.9.2/jackson-jaxrs-1.9.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-xc/1.9.2/jackson-xc-1.9.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-server/1.19/jersey-server-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/log4j/log4j/1.2.17/log4j-1.2.17.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-lang/commons-lang/2.6/commons-lang-2.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-beanutils/commons-beanutils/1.9.3/commons-beanutils-1.9.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-configuration2/2.1.1/commons-configuration2-2.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/re2j/re2j/1.2/re2j-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/protobuf/protobuf-java/2.5.0/protobuf-java-2.5.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-auth/3.1.0/hadoop-auth-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/nimbusds/nimbus-jose-jwt/4.41.1/nimbus-jose-jwt-4.41.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/stephenc/jcip/jcip-annotations/1.0-1/jcip-annotations-1.0-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/minidev/json-smart/2.3/json-smart-2.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/minidev/accessors-smart/1.2/accessors-smart-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jcraft/jsch/0.1.54/jsch-0.1.54.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/code/findbugs/jsr305/3.0.0/jsr305-3.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/htrace/htrace-core4/4.1.0-incubating/htrace-core4-4.1.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-simplekdc/1.0.1/kerb-simplekdc-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-client/1.0.1/kerb-client-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-config/1.0.1/kerby-config-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-core/1.0.1/kerb-core-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-pkix/1.0.1/kerby-pkix-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-asn1/1.0.1/kerby-asn1-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-util/1.0.1/kerby-util-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-common/1.0.1/kerb-common-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-crypto/1.0.1/kerb-crypto-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-util/1.0.1/kerb-util-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/token-provider/1.0.1/token-provider-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-admin/1.0.1/kerb-admin-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-server/1.0.1/kerb-server-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-identity/1.0.1/kerb-identity-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-

2/maven/org/apache/kerby/kerby-xdr/1.0.1/kerby-xdr-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/woodstox/stax2-api/3.1.4/stax2-api-3.1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/woodstox/woodstox-core/5.0.3/woodstox-core-5.0.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-tests/0.9.1/tez-tests-0.9.1-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-common/0.9.1/tez-common-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-examples/0.9.1/tez-examples-0.9.1.jar:/usr/lib/jvm/java-8-openjdk-amd64/jre/../lib/tools.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-beeline/4.0.0-SNAPSHOT/hive-beeline-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-server/4.0.0-SNAPSHOT/hive-standalone-metastore-server-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/supercsv/super-csv/2.2.0/super-csv-2.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-distcp/3.1.0/hadoop-distcp-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-cli/4.0.0-SNAPSHOT/hive-cli-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-common/4.0.0-SNAPSHOT/hive-standalone-metastore-common-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jolbox/bonecp/0.8.0.RELEASE/bonecp-0.8.0.RELEASE.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/zaxxer/HikariCP/2.6.1/HikariCP-2.6.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/derby/derby/10.14.1.0/derby-10.14.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-server/4.0.0-SNAPSHOT/hive-standalone-metastore-server-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/datanucleus-api-jdo/4.2.4/datanucleus-api-jdo-4.2.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/datanucleus-rdbms/4.1.19/datanucleus-rdbms-4.1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/javax.jdo/3.2.0-m3/javax.jdo-3.2.0-m3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/transaction/transaction-api/1.1/transaction-api-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/sqlline/sqlline/1.3.0/sqlline-1.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cronutils/cron-utils/8.1.1/cron-utils-8.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-serde/4.0.0-SNAPSHOT/hive-serde-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-vector/0.10.0/arrow-vector-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-format/0.10.0/arrow-format-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-memory/0.10.0/arrow-memory-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-buffer/4.1.17.Final/netty-buffer-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-common/4.1.17.Final/netty-common-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-

```

2/maven/com/carrotsearch/hppc/0.7.2/hppc-0.7.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/com/vlkan/flatbuffers/1.2.0-3f79e055/flatbuffers-1.2.0-
3f79e055.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/opencv/opencv/2.3/opencv-
2.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/parquet/parquet-hadoop-
bundle/1.10.0/parquet-hadoop-bundle-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-service/4.0.0-SNAPSHOT/hive-service-4.0.0-SNAPSHOT-
tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-exec/4.0.0-
SNAPSHOT/hive-exec-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-common/4.0.0-SNAPSHOT/hive-common-4.0.0-SNAPSHOT-
tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-webhcat-java-
client/4.0.0-SNAPSHOT/hive-webhcat-java-client-4.0.0-SNAPSHOT-
tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/junit/junit/4.11/junit-
4.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/hamcrest/hamcrest-core/1.3/hamcrest-
core-1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-
hdfs/3.1.0/hadoop-hdfs-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/eclipse/jetty/jetty-util-ajax/9.3.19.v20170502/jetty-util-ajax-
9.3.19.v20170502.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-daemon/commons-
daemon/1.0.13/commons-daemon-1.0.13.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/fusesource/leveldbjni/leveldbjni-all/1.8/leveldbjni-all-1.8.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-jobclient/3.1.0/hadoop-mapreduce-
client-jobclient-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/com/google/inject/extensions/guice-servlet/4.0/guice-servlet-
4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-
core/3.1.0/hadoop-mapreduce-client-core-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hadoop/hadoop-hdfs-client/3.1.0/hadoop-hdfs-client-
3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/squareup/okhttp/okhttp/2.7.5/okhttp-
2.7.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/squareup/okio/okio/1.6.0/okio-
1.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/slf4j-log4j12/1.7.25/slf4j-log4j12-
1.7.25.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-
client-common/3.1.0/hadoop-mapreduce-client-common-3.1.0.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/hbase/hbase-server/2.0.0-alpha4/hbase-server-2.0.0-
alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/thirdparty/hbase-shaded-
protobuf/1.0.1/hbase-shaded-protobuf-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hbase/thirdparty/hbase-shaded-netty/1.0.1/hbase-shaded-netty-
1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/thirdparty/hbase-shaded-
miscellaneous/1.0.1/hbase-shaded-miscellaneous-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hbase/hbase-http/2.0.0-alpha4/hbase-http-2.0.0-
alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-protocol/2.0.0-
alpha4/hbase-protocol-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-

```


alpha4/hbase-protocol-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-protocol-shaded/2.0.0-alpha4/hbase-protocol-shaded-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-replication/2.0.0-alpha4/hbase-replication-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-prefix-tree/2.0.0-alpha4/hbase-prefix-tree-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-metrics-api/2.0.0-alpha4/hbase-metrics-api-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-metrics/2.0.0-alpha4/hbase-metrics-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-collections4/4.1/commons-collections4-4.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/ws/rs/javax.ws.rs-api/2.0.1/javax.ws.rs-api-2.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/htrace/htrace-core/3.2.0-incubating/htrace-core-3.2.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/lmax/disruptor/3.3.6/disruptor-3.3.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-crypto/1.0.0/commons-crypto-1.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-client/3.1.0/hadoop-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/yetus/audience-annotations/0.5.0/audience-annotations-0.5.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-server/2.0.0-alpha4/hbase-server-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/web/javax.servlet.jsp/2.3.2/javax.servlet.jsp-2.3.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/javax.el/3.0.1-b11/javax.el-3.0.1-b11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-common/2.0.0-alpha4/hbase-common-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/stephenc/findbugs/findbugs-annotations/1.3.9-1/findbugs-annotations-1.3.9-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-procedure/2.0.0-alpha4/hbase-procedure-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop-compat/2.0.0-alpha4/hbase-hadoop-compat-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop2-compat/2.0.0-alpha4/hbase-hadoop2-compat-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-minicluster/3.1.0/hadoop-minicluster-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-app/3.1.0/hadoop-mapreduce-client-app-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-web-proxy/3.1.0/hadoop-yarn-server-web-proxy-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-shuffle/3.1.0/hadoop-mapreduce-client-shuffle-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-jobclient/3.1.0/hadoop-mapreduce-client-jobclient-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-servlet/1.19/jersey-servlet-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-archives/3.1.0/hadoop-archives-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-

3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-common/3.1.0/hadoop-common-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-hs/3.1.0/hadoop-mapreduce-client-hs-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-api/0.9.1/tez-api-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-client/1.9/jersey-client-1.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-runtime-library/0.9.1/tez-runtime-library-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/roaringbitmap/RoaringBitmap/0.4.9/RoaringBitmap-0.4.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/ning/async-http-client/1.8.16/async-http-client-1.8.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-runtime-internals/0.9.1/tez-runtime-internals-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/hadoop-shim/0.9.1/hadoop-shim-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-mapreduce/0.9.1/tez-mapreduce-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-dag/0.9.1/tez-dag-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/jetty/6.1.26/jetty-6.1.26.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/servlet-api/2.5-20081211/servlet-api-2.5-20081211.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/jetty-util/6.1.26/jetty-util-6.1.26.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/servlet-api/2.5/servlet-api-2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-tests/3.1.0/hadoop-yarn-server-tests-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-common/3.1.0/hadoop-yarn-server-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/geronimo/specs/geronimo-jcache_1.0_spec/1.0-alpha-1/geronimo-jcache_1.0_spec-1.0-alpha-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ehcache/ehcache/3.3.1/ehcache-3.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/zaxxer/HikariCP-java7/2.4.12/HikariCP-java7-2.4.12.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/microsoft/sqlserver/mssql-jdbc/6.2.1.jre7/mssql-jdbc-6.2.1.jre7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-nodemanager/3.1.0/hadoop-yarn-server-nodemanager-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-resourcemanager/3.1.0/hadoop-yarn-server-resourcemanager-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-applicationhistoryservice/3.1.0/hadoop-yarn-server-applicationhistoryservice-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/de/ruedigermoeller/fst/2.50/fst-2.50.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cedarsoftware/java-util/1.9.0/java-util-1.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cedarsoftware/json-io/2.5.1/json-io-2.5.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-timelineservice/3.1.0/hadoop-yarn-server-timelineservice-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-csv/1.0/commons-csv-1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-client/3.1.0/hadoop-yarn-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-

client/3.1.0/hadoop-yarn-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-common/3.1.0/hadoop-yarn-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/xml/bind/jaxb-api/2.2.11/jaxb-api-2.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/inject/guice/4.0/guice-4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/inject/javax.inject/1/javax.inject-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/aopalliance/aopalliance/1.0/aopalliance-1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/contribs/jersey-guice/1.19/jersey-guice-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/module/jackson-module-jaxb-annotations/2.9.9/jackson-module-jaxb-annotations-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/jaxrs/jackson-jaxrs-json-provider/2.9.9/jackson-jaxrs-json-provider-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/jaxrs/jackson-jaxrs-base/2.9.9/jackson-jaxrs-base-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-api/3.1.0/hadoop-yarn-api-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-registry/3.1.0/hadoop-yarn-registry-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/dnsjava/dnsjava/2.1.7/dnsjava-2.1.7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-test/4.2.0/curator-test-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/hamcrest/hamcrest-library/1.3/hamcrest-library-1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/plexus/plexus-utils/1.5.6/plexus-utils-1.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-dbcp/commons-dbcp/1.4/commons-dbcp-1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-pool/commons-pool/1.5.4/commons-pool-1.5.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-core_2.11/2.3.0/spark-core_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro-mapred/1.8.2/avro-mapred-1.8.2-hadoop2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro-ipc/1.8.2/avro-ipc-1.8.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/twitter/chill_2.11/0.8.4/chill_2.11-0.8.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/esotericsoftware/kryo-shaded/4.0.2/kryo-shaded-4.0.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/esotericsoftware/minlog/1.3.0/minlog-1.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/twitter/chill-java/0.8.4/chill-java-0.8.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/xbean/xbean-asm5-shaded/4.4/xbean-asm5-shaded-4.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-launcher_2.11/2.3.0/spark-launcher_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-kvstore_2.11/2.3.0/spark-kvstore_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-network-common_2.11/2.3.0/spark-network-common_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-network-shuffle_2.11/2.3.0/spark-network-shuffle_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-

```

unsale_2.11/2.5.0/spark-unsale_2.11-2.5.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/net/java/dev/jets3t/jets3t/0.9.4/jets3t-0.9.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/javax/activation/activation/1.1.1/activation-1.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/bouncycastle/bcprov-jdk15on/1.52/bcprov-jdk15on-1.52.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/com/jamesmurty/utills/java-xmlbuilder/1.1/java-xmlbuilder-
1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/iharder/base64/2.3.8/base64-
2.3.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/jul-to-slf4j/1.7.16/jul-to-slf4j-
1.7.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/jcl-over-slf4j/1.7.16/jcl-over-slf4j-
1.7.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/ning/compress-lzf/1.0.3/compress-lzf-
1.0.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/xerial/snappy/snappy-java/1.1.4/snappy-
java-1.1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/lz4/lz4-java/1.4.0/lz4-java-
1.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/luben/zstd-jni/1.3.2-2/zstd-jni-1.3.2-
2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-library/2.11.8/scala-library-
2.11.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/json4s/json4s-
jackson_2.11/3.2.11/json4s-jackson_2.11-3.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/json4s/json4s-core_2.11/3.2.11/json4s-core_2.11-3.2.11.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/json4s/json4s-ast_2.11/3.2.11/json4s-ast_2.11-
3.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scalap/2.11.0/scalap-
2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-compiler/2.11.0/scala-
compiler-2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-
reflect/2.11.0/scala-reflect-2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-
lang/modules/scala-xml_2.11/1.0.1/scala-xml_2.11-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/scala-lang/modules/scala-parser-combinators_2.11/1.0.1/scala-parser-combinators_2.11-
1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-
client/2.22.2/jersey-client-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/glassfish/hk2/hk2-api/2.4.0-b34/hk2-api-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/glassfish/hk2/hk2-utils/2.4.0-b34/hk2-utils-2.4.0-
b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/external/aopalliance-
repackaged/2.4.0-b34/aopalliance-repackaged-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/glassfish/hk2/external/javax.inject/2.4.0-b34/javax.inject-2.4.0-
b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/hk2-locator/2.4.0-b34/hk2-
locator-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-
common/2.22.2/jersey-common-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/javax/annotation/javax.annotation-api/1.2/javax.annotation-api-
1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/bundles/repackaged/jersey-
guava/2.22.2/jersey-guava-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/glassfish/hk2/osgi-resource-locator/1.0.1/osgi-resource-locator-
1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-
server/2.22.2/jersey-server-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-

```

```

2/maven/org/glassfish/jersey/media/jersey-media-jaxb/2.22.2/jersey-media-jaxb-
2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/validation/validation-
api/1.1.0.Final/validation-api-1.1.0.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/glassfish/jersey/containers/jersey-container-servlet/2.22.2/jersey-container-servlet-
2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/containers/jersey-
container-servlet-core/2.22.2/jersey-container-servlet-core-2.22.2.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/com/clearspring/analytics/stream/2.7.0/stream-2.7.0.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/io/dropwizard/metrics/metrics-graphite/3.1.5/metrics-graphite-
3.1.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/module/jackson-
module-scala_2.11/2.9.9/jackson-module-scala_2.11-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/com/fasterxml/jackson/module/jackson-module-paranamer/2.9.9/jackson-module-paranamer-
2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/oro/oro/2.0.8/oro-
2.0.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/razorvine/pyrolite/4.13/pyrolite-
4.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/py4j/py4j/0.10.6/py4j-
0.10.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-
tags_2.11/2.3.0/spark-tags_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/spark-
project/spark/unused/1.0.0/unused-1.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/slf4j/slf4j-api/1.7.10/slf4j-api-1.7.10.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/mockito/mockito-core/1.10.19/mockito-core-1.10.19.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/objenesis/objenesis/2.1/objenesis-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-unit/target/testconf:/home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-unit/../../conf:
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server
environment:java.library.path=/usr/java/packages/lib/amd64:/usr/lib/x86_64-linux-gnu:/jni:/lib/x86_64-linux-
gnu:/usr/lib/x86_64-linux-gnu:/usr/lib/jni:/lib:/usr/lib
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server
environment:java.io.tmpdir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-
source/itests/hive-unit/target/tmp
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server environment:java.compiler=
<NA>
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server environment:os.name=Linux
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server environment:os.arch=amd64
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server environment:os.version=3.16.0-
4-amd64
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server
environment:user.name=hiveptest
2019-12-10T16:55:15,134 INFO [main] server.ZooKeeperServer: Server
environment:user.home=/home/hiveptest
2019-12-10T16:55:15,135 INFO [main] server.ZooKeeperServer: Server

```

environment:user.dir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit

2019-12-10T16:55:15,135 INFO [main] server.ZooKeeperServer: Server environment:os.memory.free=623MB

2019-12-10T16:55:15,135 INFO [main] server.ZooKeeperServer: Server environment:os.memory.max=1820MB

2019-12-10T16:55:15,135 INFO [main] server.ZooKeeperServer: Server environment:os.memory.total=666MB

2019-12-10T16:55:15,154 INFO [main] server.ZKDatabase: zookeeper.snapshotSizeFactor = 0.33

2019-12-10T16:55:15,156 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000

2019-12-10T16:55:15,156 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000

2019-12-10T16:55:15,158 INFO [main] server.ZooKeeperServer: Created server with tickTime 2000 minSessionTimeout 4000 maxSessionTimeout 40000 datadir /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/tmp_7028200039693351867/zookeeper_0/version-2 snapdir /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/tmp_7028200039693351867/zookeeper_0/version-2

2019-12-10T16:55:15,158 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000

2019-12-10T16:55:15,158 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000

2019-12-10T16:55:15,169 INFO [main] server.NIOServerCnxnFactory: Configuring NIO connection handler with 10s sessionless connection timeout, 2 selector thread(s), 16 worker threads, and 64 kB direct buffers.

2019-12-10T16:55:15,174 INFO [main] server.NIOServerCnxnFactory: binding to port 0.0.0.0/0.0.0.0:55264

2019-12-10T16:55:15,182 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/tmp_7028200039693351867/zookeeper_0/version-2/snapshot.0

2019-12-10T16:55:15,186 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/tmp_7028200039693351867/zookeeper_0/version-2/snapshot.0

2019-12-10T16:55:15,219 INFO [NIOWorkerThread-1] command.FourLetterCommands: The list of known four letter word commands is : [{1936881266=svr, 1937006964=stat, 2003003491=wchc, 1685417328=dump, 1668445044=crst, 1936880500=srst, 1701738089=envi, 1668247142=conf, -720899=telnet close, 2003003507=wchs, 2003003504=wchp, 1684632179=dirs, 1668247155=cons, 1835955314=mntr, 1769173615=isro, 1920298859=ruok, 1735683435=gtmk, 1937010027=stmk}]

2019-12-10T16:55:15,220 INFO [NIOWorkerThread-1] command.FourLetterCommands: The list of enabled four letter word commands is : [[wchs, stat, wchp, dirs, stmk, conf, ruok, mntr, svr, wchc, envi, srst, isro, dump, gtmk, telnet close, crst, cons]]

2019-12-10T16:55:15,224 INFO [NIOWorkerThread-1] command.AbstractFourLetterCommand: Stat

command output

```
2019-12-10T16:55:15,225 INFO [main] testutils.MinizooKeeperCluster: Started MinizooKeeperCluster
and ran successful 'stat' on client port=55264
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client
environment:zookeeper.version=3.5.5-390fe37ea45dee01bf87dc1c042b5e3dcce88653, built on
05/03/2019 12:07 GMT
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client environment:host.name=hive-ptest-
slaves-5d0.c.gcp-hive-upstream.internal
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client
environment:java.version=1.8.0_102
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client environment:java.vendor=Oracle
Corporation
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client
environment:java.home=/usr/lib/jvm/java-8-openjdk-amd64/jre
2019-12-10T16:55:15,231 INFO [main] zookeeper.ZooKeeper: Client
environment:java.class.path=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-
source/itests/hive-unit/target/test-classes:/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-
source-source/itests/hive-unit/target/classes:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/hive/hive-common/4.0.0-SNAPSHOT/hive-common-4.0.0-
SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-
classification/4.0.0-SNAPSHOT/hive-classification-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/hive/hive-shims/4.0.0-SNAPSHOT/hive-shims-4.0.0-
SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/shims/hive-shims-
common/4.0.0-SNAPSHOT/hive-shims-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/hive/shims/hive-shims-0.23/4.0.0-SNAPSHOT/hive-shims-0.23-4.0.0-
SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/shims/hive-shims-
scheduler/4.0.0-SNAPSHOT/hive-shims-scheduler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/apache/hive/hive-storage-api/2.7.0-SNAPSHOT/hive-storage-api-2.7.0-
SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-
metastore-common/4.0.0-SNAPSHOT/hive-standalone-metastore-common-4.0.0-
SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-cli/commons-
cli/1.2/commons-cli-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/apache/commons/commons-lang3/3.9/commons-lang3-
3.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/orc/orc-core/1.5.8/orc-core-
1.5.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/orc/orc-shims/1.5.8/orc-shims-
1.5.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/airlift/aircompressor/0.10/aircompressor-
0.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/jline/jline/2.12/jline-
2.12.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/javax.servlet-
api/3.1.0/javax.servlet-api-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
```

2/maven/org/eclipse/jetty/jetty-http/9.3.27.v20190418/jetty-http-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-rewrite/9.3.27.v20190418/jetty-rewrite-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-client/9.3.27.v20190418/jetty-client-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-server/9.3.27.v20190418/jetty-server-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-io/9.3.27.v20190418/jetty-io-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-servlet/9.3.27.v20190418/jetty-servlet-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-security/9.3.27.v20190418/jetty-security-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-webapp/9.3.27.v20190418/jetty-webapp-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-xml/9.3.27.v20190418/jetty-xml-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/joda-time/joda-time/2.9.9/joda-time-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-1.2-api/2.12.1/log4j-1.2-api-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-api/2.12.1/log4j-api-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-web/2.12.1/log4j-web-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/logging/log4j/log4j-slf4j-impl/2.12.1/log4j-slf4j-impl-2.12.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-compress/1.19/commons-compress-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/ant/ant/1.9.1/ant-1.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/ant/ant-launcher/1.9.1/ant-launcher-1.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/jpam/jpam/1.1/jpam-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/tdunning/json/1.8/json-1.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/dropwizard/metrics/metrics-core/3.1.0/metrics-core-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/dropwizard/metrics/metrics-jvm/3.1.0/metrics-jvm-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/dropwizard/metrics/metrics-json/3.1.0/metrics-json-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/core/jackson-databind/2.9.9/jackson-databind-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/joshelser/dropwizard-metrics-hadoop-metrics2-reporter/0.1.2/dropwizard-metrics-hadoop-metrics2-reporter-0.1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javolution/javolution/5.5.1/javolution-5.5.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-jdbc/4.0.0-SNAPSHOT/hive-jdbc-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-metastore/4.0.0-SNAPSHOT/hive-metastore-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-api/0.6.0/tephra-api-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-core/0.6.0/tephra-core-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/inject/extensions/guice-

assistedinject/3.0/guice-assistedinject-3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/it/unimi/dsi/fastutil/6.5.6/fastutil-6.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-common/0.6.0-incubating/twill-common-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-core/0.6.0-incubating/twill-core-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-api/0.6.0-incubating/twill-api-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-discovery-api/0.6.0-incubating/twill-discovery-api-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-discovery-core/0.6.0-incubating/twill-discovery-core-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/twill/twill-zookeeper/0.6.0-incubating/twill-zookeeper-0.6.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/co/cask/tephra/tephra-hbase-compat-1.0/0.6.0/tephra-hbase-compat-1.0-0.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-service-rpc/4.0.0-SNAPSHOT/hive-service-rpc-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/httpcomponents/httpclient/4.5.6/httpclient-4.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/httpcomponents/httpcore/4.4.10/httpcore-4.4.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/thrift/libthrift/0.9.3-1/libthrift-0.9.3-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/zookeeper/zookeeper/3.5.5/zookeeper-3.5.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/zookeeper/zookeeper-jute/3.5.5/zookeeper-jute-3.5.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-framework/4.2.0/curator-framework-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-jdbc-handler/4.0.0-SNAPSHOT/hive-jdbc-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-dbcp2/2.6.0/commons-dbcp2-2.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-pool2/2.6.1/commons-pool2-2.6.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-service/4.0.0-SNAPSHOT/hive-service-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/jsp/javax.servlet.jsp-api/2.3.1/javax.servlet.jsp-api-2.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-codec/commons-codec/1.7/commons-codec-1.7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-runner/9.3.27.v20190418/jetty-runner-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-plus/9.3.27.v20190418/jetty-plus-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-annotations/9.3.27.v20190418/jetty-annotations-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm/6.0/asm-6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm-commons/6.0/asm-commons-6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ow2/asm/asm-tree/6.0/asm-tree-6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-

jaas/9.3.27.v20190418/jetty-jaas-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/websocket/websocket-server/9.3.27.v20190418/websocket-server-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/websocket/websocket-common/9.3.27.v20190418/websocket-common-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/websocket/websocket-api/9.3.27.v20190418/websocket-api-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/websocket/websocket-client/9.3.27.v20190418/websocket-client-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/websocket/websocket-servlet/9.3.27.v20190418/websocket-servlet-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-
 jndi/9.3.27.v20190418/jetty-jndi-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/apache-jsp/9.3.27.v20190418/apache-jsp-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/toolchain/jetty-
 schemas/3.1/jetty-schemas-3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jdt/core/compiler/ecj/4.4.2/ecj-4.4.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/eclipse/jetty/apache-jstl/9.3.27.v20190418/apache-jstl-
 9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/taglibs/taglibs-
 standard-spec/1.2.5/taglibs-standard-spec-1.2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/taglibs/taglibs-standard-impl/1.2.5/taglibs-standard-impl-
 1.2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/thrift/libfb303/0.9.3/libfb303-
 0.9.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-client/4.2.0/curator-
 client-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/curator/curator-
 recipes/4.2.0/curator-recipes-4.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/jamon/jamon-
 runtime/2.3.1/jamon-runtime-2.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hive/hive-exec/4.0.0-SNAPSHOT/hive-exec-4.0.0-
 SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-vector-code-
 gen/4.0.0-SNAPSHOT/hive-vector-code-gen-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/apache/velocity/velocity/1.5/velocity-1.5.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/apache/hive/hive-llap-tez/4.0.0-SNAPSHOT/hive-llap-tez-4.0.0-
 SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-io/commons-
 io/2.6/commons-io-2.6.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/logging/log4j/log4j-core/2.12.1/log4j-core-2.12.1.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/antlr/antlr-runtime/3.5.2/antlr-runtime-3.5.2.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/antlr/ST4/4.0.4/ST4-4.0.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/ivy/ivy/2.4.0/ivy-2.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/codehaus/groovy/groovy-all/2.4.11/groovy-all-2.4.11.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/datanucleus/datanucleus-core/4.1.17/datanucleus-core-
 4.1.17.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-core/1.21.0/calcite-

core-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-linq4j/1.21.0/calcite-linq4j-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/esri/geometry/esri-geometry-api/2.2.0/esri-geometry-api-2.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/dataformat/jackson-dataformat-yaml/2.9.9/jackson-dataformat-yaml-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/yaml/snakeyaml/1.23/snakeyaml-1.23.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/yahoo/datasketches/sketches-core/0.9.0/sketches-core-0.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/yahoo/datasketches/memory/0.9.0/memory-0.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jayway/jsonpath/json-path/2.4.0/json-path-2.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/janino/janino/3.0.11/janino-3.0.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/janino/commons-compiler/3.0.11/commons-compiler-3.0.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/calcite-druid/1.21.0/calcite-druid-1.21.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/calcite/avatica/avatica/1.12.0/avatica-1.12.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/code/gson/gson/2.2.4/gson-2.2.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/stax/stax-api/1.0.1/stax-api-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/reflections/reflections/0.9.10/reflections-0.9.10.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/javassist/javassist/3.19.0-GA/javassist-3.19.0-GA.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-server/4.0.0-SNAPSHOT/hive-llap-server-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-common/4.0.0-SNAPSHOT/hive-llap-common-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-client/4.0.0-SNAPSHOT/hive-llap-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-all/4.1.17.Final/netty-all-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty/3.10.5.Final/netty-3.10.5.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro/1.8.2/avro-1.8.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-core-asl/1.9.13/jackson-core-asl-1.9.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-mapper-asl/1.9.13/jackson-mapper-asl-1.9.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/thoughtworks/paranamer/paranamer/2.7/paranamer-2.7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/tukaani/xz/1.5/xz-1.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jettison/jettison/1.1/jettison-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-util/9.3.27.v20190418/jetty-util-9.3.27.v20190418.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-common/4.0.0-SNAPSHOT/hive-llap-common-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop2-compat/2.0.0-alpha4/hbase-hadoop2-compat-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-client/2.0.0-alpha4/hbase-client-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-

2/maven/org/jruby/jcodings/jcodings/1.0.18/jcodings-1.0.18.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/jruby/joni/joni/2.1.11/joni-2.1.11.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hbase/hbase-mapreduce/2.0.0-alpha4/hbase-mapreduce-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-common/2.0.0-alpha4/hbase-common-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hbase/hbase-hadoop-compat/2.0.0-alpha4/hbase-hadoop-compat-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-llap-ext-client/4.0.0-SNAPSHOT/hive-llap-ext-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hive/hive-llap-server/4.0.0-SNAPSHOT/hive-llap-server-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-hcatalog-core/4.0.0-SNAPSHOT/hive-hcatalog-core-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/google/guava/guava/19.0/guava-19.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/fasterxml/jackson/core/jackson-annotations/2.9.9/jackson-annotations-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/core/jackson-core/2.9.9/jackson-core-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hadoop/hadoop-annotations/3.1.0/hadoop-annotations-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-hdfs/3.1.0/hadoop-hdfs-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hive/hcatalog/hive-hcatalog-streaming/4.0.0-SNAPSHOT/hive-hcatalog-streaming-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-streaming/4.0.0-SNAPSHOT/hive-streaming-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-hcatalog-server-extensions/4.0.0-SNAPSHOT/hive-hcatalog-server-extensions-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/jakarta/jms/jakarta.jms-api/2.0.2/jakarta.jms-api-2.0.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-webhcat-java-client/4.0.0-SNAPSHOT/hive-webhcat-java-client-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-it-util/4.0.0-SNAPSHOT/hive-it-util-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/accumulo/accumulo-minicluster/1.7.3/accumulo-minicluster-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/beust/jcommander/1.32/jcommander-1.32.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-configuration/commons-configuration/1.6/commons-configuration-1.6.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/commons-digester/commons-digester/1.8/commons-digester-1.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-core/1.7.3/accumulo-core-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/commons/commons-math/2.1/commons-math-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-gc/1.7.3/accumulo-gc-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-master/1.7.3/accumulo-master-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/accumulo/accumulo-monitor/1.7.3/accumulo-monitor-

1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-shell/1.7.3/accumulo-shell-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-server-base/1.7.3/accumulo-server-base-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-start/1.7.3/accumulo-start-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-tracer/1.7.3/accumulo-tracer-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-tserver/1.7.3/accumulo-tserver-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-vfs2/2.1/commons-vfs2-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-accumulo-handler/4.0.0-SNAPSHOT/hive-accumulo-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-fate/1.7.3/accumulo-fate-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/accumulo/accumulo-trace/1.7.3/accumulo-trace-1.7.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-accumulo-handler/4.0.0-SNAPSHOT/hive-accumulo-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-hbase-handler/4.0.0-SNAPSHOT/hive-hbase-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-hbase-handler/4.0.0-SNAPSHOT/hive-hbase-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-kudu-handler/4.0.0-SNAPSHOT/hive-kudu-handler-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kudu/kudu-client/1.10.0/kudu-client-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/stumbleupon/async/1.4.1/async-1.4.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-kudu-handler/4.0.0-SNAPSHOT/hive-kudu-handler-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kudu/kudu-test-utils/1.10.0/kudu-test-utils-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/hamcrest/hamcrest/2.1/hamcrest-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-mapreduce/2.0.0-alpha4/hbase-mapreduce-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-common/3.1.0/hadoop-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-math3/3.1.1/commons-math3-3.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-net/commons-net/3.6/commons-net-3.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-collections/commons-collections/3.2.2/commons-collections-3.2.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/jsp/jsp-api/2.1/jsp-api-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-core/1.19/jersey-core-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/ws/rs/jsr311-api/1.1.1/jsr311-api-1.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-json/1.19/jersey-json-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/xml/bind/jaxb-impl/2.2.3-1/jaxb-impl-2.2.3-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-jaxrs/1.9.2/jackson-jaxrs-

1.9.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/jackson/jackson-xc/1.9.2/jackson-xc-1.9.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-server/1.19/jersey-server-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/log4j/log4j/1.2.17/log4j-1.2.17.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-lang/commons-lang/2.6/commons-lang-2.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-beanutils/commons-beanutils/1.9.3/commons-beanutils-1.9.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-configuration2/2.1.1/commons-configuration2-2.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/re2j/re2j/1.2/re2j-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/protobuf/protobuf-java/2.5.0/protobuf-java-2.5.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-auth/3.1.0/hadoop-auth-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/nimbusds/nimbus-jose-jwt/4.41.1/nimbus-jose-jwt-4.41.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/stephenc/jcip/jcip-annotations/1.0-1/jcip-annotations-1.0-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/minidev/json-smart/2.3/json-smart-2.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/minidev/accessors-smart/1.2/accessors-smart-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jcraft/jsch/0.1.54/jsch-0.1.54.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/code/findbugs/jsr305/3.0.0/jsr305-3.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/htrace/htrace-core4/4.1.0-incubating/htrace-core4-4.1.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-simplekdc/1.0.1/kerb-simplekdc-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-client/1.0.1/kerb-client-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-config/1.0.1/kerby-config-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-core/1.0.1/kerb-core-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-pkix/1.0.1/kerby-pkix-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-asn1/1.0.1/kerby-asn1-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-util/1.0.1/kerby-util-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-common/1.0.1/kerb-common-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-crypto/1.0.1/kerb-crypto-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-util/1.0.1/kerb-util-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/token-provider/1.0.1/token-provider-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-admin/1.0.1/kerb-admin-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-server/1.0.1/kerb-server-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerb-identity/1.0.1/kerb-identity-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/kerby/kerby-xdr/1.0.1/kerby-xdr-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/woodstox/stax2-api/3.1.4/stax2-api-3.1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/woodstox/woodstox-core/5.0.3/woodstox-core-

5.0.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-tests/0.9.1/tez-tests-0.9.1-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-common/0.9.1/tez-common-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-examples/0.9.1/tez-examples-0.9.1.jar:/usr/lib/jvm/java-8-openjdk-amd64/jre/../lib/tools.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-beeline/4.0.0-SNAPSHOT/hive-beeline-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-server/4.0.0-SNAPSHOT/hive-standalone-metastore-server-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/supercsv/super-csv/2.2.0/super-csv-2.2.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-distcp/3.1.0/hadoop-distcp-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-cli/4.0.0-SNAPSHOT/hive-cli-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-common/4.0.0-SNAPSHOT/hive-standalone-metastore-common-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/jolbox/bonecp/0.8.0.RELEASE/bonecp-0.8.0.RELEASE.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/zaxxer/HikariCP/2.6.1/HikariCP-2.6.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/derby/derby/10.14.1.0/derby-10.14.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-standalone-metastore-server/4.0.0-SNAPSHOT/hive-standalone-metastore-server-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/datanucleus-api-jdo/4.2.4/datanucleus-api-jdo-4.2.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/datanucleus-rdbms/4.1.19/datanucleus-rdbms-4.1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/datanucleus/javax.jdo/3.2.0-m3/javax.jdo-3.2.0-m3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/transaction/transaction-api/1.1/transaction-api-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/sqlline/sqlline/1.3.0/sqlline-1.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cronutils/cron-utils/8.1.1/cron-utils-8.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-serde/4.0.0-SNAPSHOT/hive-serde-4.0.0-SNAPSHOT.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-vector/0.10.0/arrow-vector-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-format/0.10.0/arrow-format-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/arrow/arrow-memory/0.10.0/arrow-memory-0.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-buffer/4.1.17.Final/netty-buffer-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/io/netty/netty-common/4.1.17.Final/netty-common-4.1.17.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/carrotsearch/hppc/0.7.2/hppc-0.7.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/vlkan/flatbuffers/1.2.0-3f79e055/flatbuffers-1.2.0-3f79e055.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/opencsv/opencsv/2.3/opencsv-

2.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/parquet/parquet-hadoop-bundle/1.10.0/parquet-hadoop-bundle-1.10.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-service/4.0.0-SNAPSHOT/hive-service-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-exec/4.0.0-SNAPSHOT/hive-exec-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hive-common/4.0.0-SNAPSHOT/hive-common-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hive/hcatalog/hive-webhcat-java-client/4.0.0-SNAPSHOT/hive-webhcat-java-client-4.0.0-SNAPSHOT-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/junit/junit/4.11/junit-4.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-hdfs/3.1.0/hadoop-hdfs-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/eclipse/jetty/jetty-util-ajax/9.3.19.v20170502/jetty-util-ajax-9.3.19.v20170502.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-daemon/commons-daemon/1.0.13/commons-daemon-1.0.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/fusesource/leveldbjni/leveldbjni-all/1.8/leveldbjni-all-1.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-jobclient/3.1.0/hadoop-mapreduce-client-jobclient-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/inject/extensions/guice-servlet/4.0/guice-servlet-4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-core/3.1.0/hadoop-mapreduce-client-core-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-hdfs-client/3.1.0/hadoop-hdfs-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/squareup/okhttp/okhttp/2.7.5/okhttp-2.7.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/squareup/okio/okio/1.6.0/okio-1.6.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/slf4j-log4j12/1.7.25/slf4j-log4j12-1.7.25.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-common/3.1.0/hadoop-mapreduce-client-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-server/2.0.0-alpha4/hbase-server-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/thirdparty/hbase-shaded-protobuf/1.0.1/hbase-shaded-protobuf-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/thirdparty/hbase-shaded-netty/1.0.1/hbase-shaded-netty-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/thirdparty/hbase-shaded-miscellaneous/1.0.1/hbase-shaded-miscellaneous-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-http/2.0.0-alpha4/hbase-http-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-protocol/2.0.0-alpha4/hbase-protocol-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-protocol-shaded/2.0.0-alpha4/hbase-protocol-shaded-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-replication/2.0.0-alpha4/hbase-replication-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-

2/maven/org/apache/hbase/hbase-prefix-tree/2.0.0-alpha4/hbase-prefix-tree-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-metrics-api/2.0.0-alpha4/hbase-metrics-api-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-metrics/2.0.0-alpha4/hbase-metrics-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-collections4/4.1/commons-collections4-4.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/ws/rs/javax.ws.rs-api/2.0.1/javax.ws.rs-api-2.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/htrace/htrace-core/3.2.0-incubating/htrace-core-3.2.0-incubating.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/lmax/disruptor/3.3.6/disruptor-3.3.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-crypto/1.0.0/commons-crypto-1.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-client/3.1.0/hadoop-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/yetus/audience-annotations/0.5.0/audience-annotations-0.5.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-server/2.0.0-alpha4/hbase-server-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/web/javax.servlet.jsp/2.3.2/javax.servlet.jsp-2.3.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/javax.el/3.0.1-b11/javax.el-3.0.1-b11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-common/2.0.0-alpha4/hbase-common-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/stephenc/findbugs/findbugs-annotations/1.3.9-1/findbugs-annotations-1.3.9-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-procedure/2.0.0-alpha4/hbase-procedure-2.0.0-alpha4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop-compat/2.0.0-alpha4/hbase-hadoop-compat-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hbase/hbase-hadoop2-compat/2.0.0-alpha4/hbase-hadoop2-compat-2.0.0-alpha4-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-minicluster/3.1.0/hadoop-minicluster-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-app/3.1.0/hadoop-mapreduce-client-app-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-web-proxy/3.1.0/hadoop-yarn-server-web-proxy-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-shuffle/3.1.0/hadoop-mapreduce-client-shuffle-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-jobclient/3.1.0/hadoop-mapreduce-client-jobclient-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-servlet/1.19/jersey-servlet-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-archives/3.1.0/hadoop-archives-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-common/3.1.0/hadoop-common-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-mapreduce-client-hs/3.1.0/hadoop-mapreduce-client-hs-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-api/0.9.1/tez-api-

0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/jersey-client/1.9/jersey-client-1.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-runtime-library/0.9.1/tez-runtime-library-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/roaringbitmap/RoaringBitmap/0.4.9/RoaringBitmap-0.4.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/ning/async-http-client/1.8.16/async-http-client-1.8.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-runtime-internals/0.9.1/tez-runtime-internals-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/hadoop-shim/0.9.1/hadoop-shim-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-mapreduce/0.9.1/tez-mapreduce-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/tez/tez-dag/0.9.1/tez-dag-0.9.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/jetty/6.1.26/jetty-6.1.26.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/servlet-api/2.5-20081211/servlet-api-2.5-20081211.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/mortbay/jetty/jetty-util/6.1.26/jetty-util-6.1.26.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/servlet/servlet-api/2.5/servlet-api-2.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-tests/3.1.0/hadoop-yarn-server-tests-3.1.0-tests.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-common/3.1.0/hadoop-yarn-server-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/geronimo/specs/geronimo-jcache_1.0_spec/1.0-alpha-1/geronimo-jcache_1.0_spec-1.0-alpha-1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/ehcache/ehcache/3.3.1/ehcache-3.3.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/zaxxer/HikariCP-java7/2.4.12/HikariCP-java7-2.4.12.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/microsoft/sqlserver/mssql-jdbc/6.2.1.jre7/mssql-jdbc-6.2.1.jre7.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-nodemanager/3.1.0/hadoop-yarn-server-nodemanager-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-resourcemanager/3.1.0/hadoop-yarn-server-resourcemanager-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-applicationhistoryservice/3.1.0/hadoop-yarn-server-applicationhistoryservice-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/de/ruedigermoeller/fst/2.50/fst-2.50.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cedarsoftware/java-util/1.9.0/java-util-1.9.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/cedarsoftware/json-io/2.5.1/json-io-2.5.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-server-timelineservice/3.1.0/hadoop-yarn-server-timelineservice-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/commons/commons-csv/1.0/commons-csv-1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-client/3.1.0/hadoop-yarn-client-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-common/3.1.0/hadoop-yarn-common-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/xml/bind/jaxb-api/2.2.11/jaxb-api-2.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/google/inject/quice/4.0/quice-

4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/inject/javax.inject/1/javax.inject-
 1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/aopalliance/aopalliance/1.0/aopalliance-
 1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/sun/jersey/contribs/jersey-
 guice/1.19/jersey-guice-1.19.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/fasterxml/jackson/module/jackson-module-jaxb-annotations/2.9.9/jackson-module-jaxb-
 annotations-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/fasterxml/jackson/jaxrs/jackson-jaxrs-json-provider/2.9.9/jackson-jaxrs-json-provider-
 2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/jaxrs/jackson-jaxrs-
 base/2.9.9/jackson-jaxrs-base-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/hadoop/hadoop-yarn-api/3.1.0/hadoop-yarn-api-
 3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/hadoop/hadoop-yarn-
 registry/3.1.0/hadoop-yarn-registry-3.1.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/dnsjava/dnsjava/2.1.7/dnsjava-2.1.7.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/curator/curator-test/4.2.0/curator-test-4.2.0.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/org/hamcrest/hamcrest-library/1.3/hamcrest-library-
 1.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/codehaus/plexus/plexus-utils/1.5.6/plexus-
 utils-1.5.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-dbcp/commons-
 dbcp/1.4/commons-dbcp-1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/commons-
 pool/commons-pool/1.5.4/commons-pool-1.5.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/spark/spark-core_2.11/2.3.0/spark-core_2.11-
 2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro-mapred/1.8.2/avro-
 mapred-1.8.2-hadoop2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/avro/avro-
 ipc/1.8.2/avro-ipc-1.8.2.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/twitter/chill_2.11/0.8.4/chill_2.11-0.8.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/com/esotericsoftware/kryo-shaded/4.0.2/kryo-shaded-4.0.2.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/com/esotericsoftware/minlog/1.3.0/minlog-1.3.0.jar:/home/hiveptest/34.69.225.53-
 hiveptest-2/maven/com/twitter/chill-java/0.8.4/chill-java-0.8.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/xbean/xbean-asm5-shaded/4.4/xbean-asm5-shaded-
 4.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-
 launcher_2.11/2.3.0/spark-launcher_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/spark/spark-kvstore_2.11/2.3.0/spark-kvstore_2.11-
 2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-network-
 common_2.11/2.3.0/spark-network-common_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/org/apache/spark/spark-network-shuffle_2.11/2.3.0/spark-network-shuffle_2.11-
 2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-
 unsafe_2.11/2.3.0/spark-unsafe_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/net/java/dev/jets3t/jets3t/0.9.4/jets3t-0.9.4.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/javax/activation/activation/1.1.1/activation-1.1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
 2/maven/ora/bouncycastle/bcprov-idk15on/1.52/bcprov-idk15on-1.52.jar:/home/hiveptest/34.69.225.53-

hiveptest-2/maven/com/jamesmurty/Utils/java-xmlbuilder/1.1/java-xmlbuilder-1.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/iHarder/base64/2.3.8/base64-2.3.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/jul-to-slf4j/1.7.16/jul-to-slf4j-1.7.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/slf4j/jcl-over-slf4j/1.7.16/jcl-over-slf4j-1.7.16.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/ning/compress-lzf/1.0.3/compress-lzf-1.0.3.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/xerial/snappy/snappy-java/1.1.4/snappy-java-1.1.4.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/lz4/lz4-java/1.4.0/lz4-java-1.4.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/github/luben/zstd-jni/1.3.2-2/zstd-jni-1.3.2-2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-library/2.11.8/scala-library-2.11.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/json4s/json4s-jackson_2.11/3.2.11/json4s-jackson_2.11-3.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/json4s/json4s-core_2.11/3.2.11/json4s-core_2.11-3.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/json4s/json4s-ast_2.11/3.2.11/json4s-ast_2.11-3.2.11.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scalap/2.11.0/scalap-2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-compiler/2.11.0/scala-compiler-2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/scala-reflect/2.11.0/scala-reflect-2.11.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/modules/scala-xml_2.11/1.0.1/scala-xml_2.11-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/scala-lang/modules/scala-parser-combinators_2.11/1.0.1/scala-parser-combinators_2.11-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-client/2.22.2/jersey-client-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/hk2-api/2.4.0-b34/hk2-api-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/hk2-utils/2.4.0-b34/hk2-utils-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/external/aopalliance-repackaged/2.4.0-b34/aopalliance-repackaged-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/external/javax.inject/2.4.0-b34/javax.inject-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/hk2-locator/2.4.0-b34/hk2-locator-2.4.0-b34.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-common/2.22.2/jersey-common-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/annotation/javax.annotation-api/1.2/javax.annotation-api-1.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/bundles/repackaged/jersey-guava/2.22.2/jersey-guava-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/hk2/osgi-resource-locator/1.0.1/osgi-resource-locator-1.0.1.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/core/jersey-server/2.22.2/jersey-server-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/media/jersey-media-jaxb/2.22.2/jersey-media-jaxb-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/javax/validation/validation-api/1.1.0.Final/validation-api-1.1.0.Final.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/containers/jersey-container-servlet/2.22.2/jersey-container-servlet-2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/containers/jersey-container-servlet-core/2.22.2/jersey-container-servlet-core-2.22.2.jar

```

2.22.2.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/glassfish/jersey/containers/jersey-
container-servlet-core/2.22.2/jersey-container-servlet-core-2.22.2.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/com/clearspring/analytics/stream/2.7.0/stream-2.7.0.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/io/dropwizard/metrics/metrics-graphite/3.1.5/metrics-graphite-
3.1.5.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/com/fasterxml/jackson/module/jackson-
module-scala_2.11/2.9.9/jackson-module-scala_2.11-2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/com/fasterxml/jackson/module/jackson-module-paranamer/2.9.9/jackson-module-paranamer-
2.9.9.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/oro/oro/2.0.8/oro-
2.0.8.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/razorvine/pyrolite/4.13/pyrolite-
4.13.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/net/sf/py4j/py4j/0.10.6/py4j-
0.10.6.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/apache/spark/spark-
tags_2.11/2.3.0/spark-tags_2.11-2.3.0.jar:/home/hiveptest/34.69.225.53-hiveptest-2/maven/org/spark-
project/spark/unused/1.0.0/unused-1.0.0.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/slf4j/slf4j-api/1.7.10/slf4j-api-1.7.10.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/maven/org/mockito/mockito-core/1.10.19/mockito-core-1.10.19.jar:/home/hiveptest/34.69.225.53-
hiveptest-2/maven/org/objenesis/objenesis/2.1/objenesis-2.1.jar:/home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-unit/target/testconf:/home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-unit/../../conf:
2019-12-10T16:55:15,235 INFO [main] zookeeper.ZooKeeper: Client
environment:java.library.path=/usr/java/packages/lib/amd64:/usr/lib/x86_64-linux-gnu:/jni:/lib/x86_64-linux-
gnu:/usr/lib/x86_64-linux-gnu:/usr/lib:/jni:/lib:/usr/lib
2019-12-10T16:55:15,235 INFO [main] zookeeper.ZooKeeper: Client
environment:java.io.tmpdir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-
source/itests/hive-unit/target/tmp
2019-12-10T16:55:15,235 INFO [main] zookeeper.ZooKeeper: Client environment:java.compiler=<NA>
2019-12-10T16:55:15,235 INFO [main] zookeeper.ZooKeeper: Client environment:os.name=Linux
2019-12-10T16:55:15,235 INFO [main] zookeeper.ZooKeeper: Client environment:os.arch=amd64
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client environment:os.version=3.16.0-4-
amd64
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client environment:user.name=hiveptest
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client
environment:user.home=/home/hiveptest
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client
environment:user.dir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client
environment:os.memory.free=599MB
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client
environment:os.memory.max=1820MB

```

```
environment:os.memory.max=1024MB
```

```
2019-12-10T16:55:15,236 INFO [main] zookeeper.ZooKeeper: Client
```

```
environment:os.memory.total=666MB
```

```
2019-12-10T16:55:15,241 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
```

```
connectString=localhost:55264 sessionTimeout=120000
```

```
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters$QTestSetup$1@12ffd1de
```

```
2019-12-10T16:55:15,250 INFO [main] common.X509Util: Setting -D
```

```
jdk.tls.rejectClientInitiatedRenegotiation=true to disable client-initiated TLS renegotiation
```

```
2019-12-10T16:55:15,276 INFO [SyncThread:0] persistence.FileTxnLog: Creating new log file: log.1
```

```
2019-12-10T16:55:15,397 INFO [main] zookeeper.ZooKeeper: Session: 0x100014598da0000 closed
```

```
2019-12-10T16:55:15,398 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
```

```
connectString=localhost:55264 sessionTimeout=120000
```

```
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters$QTestSetup$1@5524b72f
```

```
2019-12-10T16:55:16,477 INFO [main] metastore.HiveMetaStoreClient: HMS client filtering is enabled.
```

```
2019-12-10T16:55:16,673 INFO [main] metastore.HiveMetaStore: 0: Opening raw store with
```

```
implementation class:org.apache.hadoop.hive.metastore.VerifyingObjectStore
```

```
2019-12-10T16:55:16,704 WARN [main] metastore.VerifyingObjectStore: VerifyingObjectStore is being  
used - test run
```

```
2019-12-10T16:55:16,714 INFO [main] metastore.PersistenceManagerProvider: Configuration
```

```
datanucleus.autoStartMechanismMode is not set. Defaulting to 'ignored'
```

```
2019-12-10T16:55:16,722 INFO [main] metastore.PersistenceManagerProvider: Updating the pmf due to  
property change
```

```
2019-12-10T16:55:16,722 INFO [main] metastore.PersistenceManagerProvider: Current pmf properties  
are uninitialized
```

```
2019-12-10T16:55:16,758 INFO [main] hikari.HikariDataSource: HikariPool-1 - Starting...
```

```
2019-12-10T16:55:17,666 INFO [main] pool.PoolBase: HikariPool-1 - Driver does not support get/set  
network timeout for connections. (Feature not implemented: No details.)
```

```
2019-12-10T16:55:17,672 INFO [main] hikari.HikariDataSource: HikariPool-1 - Start completed.
```

```
2019-12-10T16:55:18,495 INFO [main] metastore.PersistenceManagerProvider: Setting MetaStore object  
pin classes with
```

```
hive.metastore.cache.pinobjtypes="Table,StorageDescriptor,SerDeInfo,Partition,Database,Type,FieldSch  
ema,Order"
```

```
2019-12-10T16:55:18,495 INFO [main] metastore.ObjectStore: RawStore:
```

```
org.apache.hadoop.hive.metastore.VerifyingObjectStore@a5e8260, with PersistenceManager: null will  
be shutdown
```

```
2019-12-10T16:55:18,524 INFO [main] metastore.ObjectStore: RawStore:
```

```
org.apache.hadoop.hive.metastore.VerifyingObjectStore@a5e8260, with PersistenceManager:
```

```
org.datanucleus.api.jdo.JDOPersistenceManager@18989e0 created in the thread with id: 1
```

```
2019-12-10T16:55:22,649 WARN [main] metastore.ObjectStore: Version information not found in
```

```
metastore metastore schema verification is not enabled so recording the schema version 4.0.0
```

metastore: metastore.schema.verification is not enabled so recording the schema version 4.0.0
2019-12-10T16:55:22,650 WARN [main] metastore.ObjectStore: setMetaStoreSchemaVersion called but recording version is disabled: version = 4.0.0, comment = Set by MetaStore hiveptest@10.128.0.39
2019-12-10T16:55:22,650 INFO [main] metastore.HiveMetaStore: Created RawStore:
org.apache.hadoop.hive.metastore.VerifyingObjectStore@a5e8260 from thread id: 1
2019-12-10T16:55:22,952 INFO [main] metastore.HiveMetaStore: Added admin role in metastore
2019-12-10T16:55:22,954 INFO [main] metastore.HiveMetaStore: Added public role in metastore
2019-12-10T16:55:23,092 INFO [main] metastore.HiveMetaStore: Added hive_admin_user to admin role
2019-12-10T16:55:23,101 INFO [main] metastore.HiveMetaStore: Scheduling for
org.apache.hadoop.hive.metastore.events.EventCleanerTask service with frequency 0ms.
2019-12-10T16:55:23,102 INFO [main] metastore.HiveMetaStore: Scheduling for
org.apache.hadoop.hive.metastore.RuntimeStatsCleanerTask service with frequency 3600000ms.
2019-12-10T16:55:23,109 INFO [main] metastore.HiveMetaStore: Scheduling for
org.apache.hadoop.hive.metastore.HiveProtoEventsCleanerTask service with frequency 86400000ms.
2019-12-10T16:55:23,111 INFO [main] metastore.HiveMetaStore: Scheduling for
org.apache.hadoop.hive.metastore.repl.DumpDirCleanerTask service with frequency 0ms.
2019-12-10T16:55:23,112 INFO [main] metastore.HiveMetaStore: Scheduling for
org.apache.hadoop.hive.metastore.ScheduledQueryExecutionsMaintTask service with frequency
60000ms.
2019-12-10T16:55:23,117 INFO [main] metastore.HiveMetaStore: HMS server filtering is disabled by
configuration
2019-12-10T16:55:23,262 INFO [main] metastore.RetryingMetaStoreClient: RetryingMetaStoreClient
proxy=class org.apache.hadoop.hive ql.metadata.SessionHiveMetaStoreClient ugi=hiveptest
(auth:SIMPLE) retries=1 delay=1 lifetime=0
2019-12-10T16:55:23,291 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_all_functions
Hive Session ID = 16d78567-6193-4ee7-b24f-3c74dade7826
2019-12-10T16:55:23,351 INFO [main] SessionState: Hive Session ID = 16d78567-6193-4ee7-b24f-
3c74dade7826
ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-
hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used
2019-12-10T16:55:23,357 INFO [main] DependencyResolver: ivysettings.xml file not found in
HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-
source/conf/ivysettings.xml will be used
2019-12-10T16:55:23,426 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest
2019-12-10T16:55:23,431 INFO [main] session.SessionState: Created local directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/localscratchdir

unit/target/tmp/localscratchdir

2019-12-10T16:55:23,436 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826

2019-12-10T16:55:23,440 INFO [main] session.SessionState: Created local directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/localscratchdir/16d78567-6193-4ee7-b24f-3c74dade7826

2019-12-10T16:55:23,444 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826/_tmp_space.db

2019-12-10T16:55:23,466 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_databases: @hive#

2019-12-10T16:55:23,479 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_tables: db=@hive#default pat=.*

2019-12-10T16:55:23,495 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_databases: @hive#

2019-12-10T16:55:23,498 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_tables: db=@hive#default pat=.*

2019-12-10T16:55:23,507 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_functions: db=@hive#default pat=.*

2019-12-10T16:55:23,538 INFO [main] QTestUtil: Setting up QTestUtil with
outDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/./../ql/src/test/results/clientpositive, logDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-
source-source/itests/hive-unit/target/junit-ql-file-results/clientpositive, clusterType=NONE, confDir=null,
initScript=q_test_init_src_with_stats.sql, cleanupScript=q_test_cleanup_src_with_stats.sql,
withLlaplo=false, fsType=LOCAL

2019-12-10T16:55:23,644 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.size
does not exist

2019-12-10T16:55:23,645 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.override does not exist

2019-12-10T16:55:23,645 WARN [main] conf.HiveConf: HiveConf of name hive.metastore.metadb.dir
does not exist

2019-12-10T16:55:23,645 WARN [main] conf.HiveConf: HiveConf of name
hive.llap.io.cache.orc.alloc.min does not exist

2019-12-10T16:55:23,645 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.hivesite does not exist

2019-12-10T16:55:23,645 WARN [main] conf.HiveConf: HiveConf of name
hive.llap.io.cache.orc.alloc.max does not exist

2019-12-10T16:55:23,646 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.metastore.hivesite does not exist


```

hive.dummyparam.test.server.specimn.coming.metastoresite does not exist
2019-12-10T16:55:23,646 WARN [main] conf.HiveConf: HiveConf of name
hive.llap.io.cache.orc.arena.size does not exist
2019-12-10T16:55:23,647 WARN [main] conf.HiveConf: HiveConf of name
hive.stats.key.prefix.reserve.length does not exist
2019-12-10T16:55:23,670 INFO [main] server.ZKDatabase: zookeeper.snapshotSizeFactor = 0.33
2019-12-10T16:55:23,670 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000
2019-12-10T16:55:23,670 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000
2019-12-10T16:55:23,670 INFO [main] server.ZooKeeperServer: Created server with tickTime 2000
minSessionTimeout 4000 maxSessionTimeout 40000 datadir /home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_2704204642844374019/zookeeper_0/version-2 snapdir
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_2704204642844374019/zookeeper_0/version-2
2019-12-10T16:55:23,671 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000
2019-12-10T16:55:23,671 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000
2019-12-10T16:55:23,671 INFO [main] server.NIOServerCnxnFactory: Configuring NIO connection
handler with 10s sessionless connection timeout, 2 selector thread(s), 16 worker threads, and 64 kB
direct buffers.
2019-12-10T16:55:23,671 INFO [main] server.NIOServerCnxnFactory: binding to port
0.0.0.0/0.0.0.0:53303
2019-12-10T16:55:23,672 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_2704204642844374019/zookeeper_0/version-2/snapshot.0
2019-12-10T16:55:23,673 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_2704204642844374019/zookeeper_0/version-2/snapshot.0
2019-12-10T16:55:23,677 INFO [NIOWorkerThread-1] command.AbstractFourLetterCommand: Stat
command output
2019-12-10T16:55:23,677 INFO [main] testutils.MinizooKeeperCluster: Started MiniZooKeeperCluster
and ran successful 'stat' on client port=53303
2019-12-10T16:55:23,678 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:53303 sessionTimeout=120000
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters$QTestSetup$1@759f45f1
2019-12-10T16:55:23,682 INFO [SyncThread:0] persistence.FileTxnLog: Creating new log file: log.1
2019-12-10T16:55:23,791 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145b9fe0000 closed
2019-12-10T16:55:23,792 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:53303 sessionTimeout=120000
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters$QTestSetup$1@3d2eb7fa
2019-12-10T16:55:23,795 INFO [main] SessionState: Using Session ID: 0x1000145b9fe0000

```

2019-12-10T16:55:23,795 INFO [main] SessionState: hive session id = ad4babae-3334-4b96-9a6a-bee3072f229b

2019-12-10T16:55:23,796 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:23,798 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826 on fs with scheme file

2019-12-10T16:55:23,798 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/16d78567-6193-4ee7-b24f-3c74dade7826 on fs with scheme file

2019-12-10T16:55:23,809 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Cleaning up thread local RawStore...

2019-12-10T16:55:23,809 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@a5e8260, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@18989e0 will be shutdown

2019-12-10T16:55:23,810 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Done cleaning up thread local RawStore

2019-12-10T16:55:23,820 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b

2019-12-10T16:55:23,824 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/ad4babae-3334-4b96-9a6a-bee3072f229b

2019-12-10T16:55:23,830 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b/_tmp_space.db

2019-12-10T16:55:23,832 INFO [main] metastore.HiveMetaStoreClient: HMS client filtering is enabled.

2019-12-10T16:55:23,834 INFO [main] metastore.HiveMetaStore: 0: Opening raw store with implementation class:org.apache.hadoop.hive.metastore.VerifyingObjectStore

2019-12-10T16:55:23,834 WARN [main] metastore.VerifyingObjectStore: VerifyingObjectStore is being used - test run

2019-12-10T16:55:23,834 INFO [main] metastore.PersistenceManagerProvider: Configuration datanucleus.autoStartMechanismMode is not set. Defaulting to 'ignored'

2019-12-10T16:55:23,835 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@671f545b, with PersistenceManager: null will be shutdown

2019-12-10T16:55:23,835 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@671f545b, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@18989e0 created in the thread with id 1

```

org.datanucleus.api.jdo.JDOPersistenceManager@c335b9 created in the thread with id: 1
2019-12-10T16:55:23,860 INFO [main] metastore.HiveMetaStore: Created RawStore:
org.apache.hadoop.hive.metastore.VerifyingObjectStore@671f545b from thread id: 1
2019-12-10T16:55:23,860 INFO [main] metastore.HiveMetaStore: HMS server filtering is disabled by
configuration
2019-12-10T16:55:23,861 INFO [main] metastore.RetryingMetaStoreClient: RetryingMetaStoreClient
proxy=class org.apache.hadoop.hive.ql.metadata.SessionHiveMetaStoreClient ugi=hiveptest
(auth:SIMPLE) retries=1 delay=1 lifetime=0
2019-12-10T16:55:23,861 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_databases: @hive#
2019-12-10T16:55:23,863 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_tables: db=@hive#default pat=.*
2019-12-10T16:55:23,865 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_databases: @hive#
2019-12-10T16:55:23,867 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_tables: db=@hive#default pat=.*
2019-12-10T16:55:23,870 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=get_functions: db=@hive#default pat=.*
2019-12-10T16:55:23,872 INFO [main] QTestUtil: Setting up QTestUtil with
outDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/.../ql/src/test/results/clientpositive, logDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-
source-source/itests/hive-unit/target/junit-qfile-results/clientpositive, clusterType=NONE, confDir=null,
initScript=q_test_init_src_with_stats.sql, cleanupScript=q_test_cleanup_src_with_stats.sql,
withLlaplo=false, fsType=LOCAL
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.size
does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.override does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name hive.metastore.metadb.dir
does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name
hive.llap.io.cache.orc.alloc.min does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.hivesite does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name
hive.llap.io.cache.orc.alloc.max does not exist
2019-12-10T16:55:23,930 WARN [main] conf.HiveConf: HiveConf of name
hive.dummyparam.test.server.specific.config.metastoresite does not exist
2019-12-10T16:55:23,931 WARN [main] conf.HiveConf: HiveConf of name

```

```

hive.llap.io.cache.orc.arena.size does not exist
2019-12-10T16:55:23,931 WARN [main] conf.HiveConf: HiveConf of name
hive.stats.key.prefix.reserve.length does not exist
2019-12-10T16:55:23,943 INFO [main] server.ZKDatabase: zookeeper.snapshotSizeFactor = 0.33
2019-12-10T16:55:23,943 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000
2019-12-10T16:55:23,943 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000
2019-12-10T16:55:23,944 INFO [main] server.ZooKeeperServer: Created server with tickTime 2000
minSessionTimeout 4000 maxSessionTimeout 40000 datadir /home/hiveptest/34.69.225.53-hiveptest-
2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_7053134487493919177/zookeeper_0/version-2 snapdir
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_7053134487493919177/zookeeper_0/version-2
2019-12-10T16:55:23,944 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000
2019-12-10T16:55:23,944 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000
2019-12-10T16:55:23,944 INFO [main] server.NIOServerCnxnFactory: Configuring NIO connection
handler with 10s sessionless connection timeout, 2 selector thread(s), 16 worker threads, and 64 kB
direct buffers.
2019-12-10T16:55:23,944 INFO [main] server.NIOServerCnxnFactory: binding to port
0.0.0.0/0.0.0.0:61582
2019-12-10T16:55:23,950 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_7053134487493919177/zookeeper_0/version-2/snapshot.0
2019-12-10T16:55:23,951 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_7053134487493919177/zookeeper_0/version-2/snapshot.0
2019-12-10T16:55:23,953 INFO [NIOWorkerThread-1] command.AbstractFourLetterCommand: Stat
command output
2019-12-10T16:55:23,954 INFO [main] testutils.MiniZooKeeperCluster: Started MiniZooKeeperCluster
and ran successful 'stat' on client port=61582
2019-12-10T16:55:23,954 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:61582 sessionTimeout=120000
watcher=org.apache.hadoop.hive ql.QTestMiniClusters$QTestSetup$1 @575c23f1
2019-12-10T16:55:23,960 INFO [SyncThread:0] persistence.FileTxnLog: Creating new log file: log.1
2019-12-10T16:55:24,070 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145bb130000 closed
2019-12-10T16:55:24,071 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:61582 sessionTimeout=120000
watcher=org.apache.hadoop.hive ql.QTestMiniClusters$QTestSetup$1 @6a299b9d
2019-12-10T16:55:24,074 INFO [main] SessionState: Hive Session ID = 689e260c-7d70-4409-b76e-
1416a786936e

```

2019-12-10T16:55:24,075 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR, /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,076 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b on fs with scheme file

2019-12-10T16:55:24,077 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/ad4babae-3334-4b96-9a6a-bee3072f229b on fs with scheme file

2019-12-10T16:55:24,077 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Cleaning up thread local RawStore...

2019-12-10T16:55:24,077 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@671f545b, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@c335b9 will be shutdown

2019-12-10T16:55:24,077 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Done cleaning up thread local RawStore

2019-12-10T16:55:24,088 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e

2019-12-10T16:55:24,092 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/689e260c-7d70-4409-b76e-1416a786936e

2019-12-10T16:55:24,103 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e/_tmp_space.db

2019-12-10T16:55:24,105 INFO [main] metastore.HiveMetaStoreClient: HMS client filtering is enabled.

2019-12-10T16:55:24,106 INFO [main] metastore.HiveMetaStore: 0: Opening raw store with implementation class:org.apache.hadoop.hive.metastore.VerifyingObjectStore

2019-12-10T16:55:24,106 WARN [main] metastore.VerifyingObjectStore: VerifyingObjectStore is being used - test run

2019-12-10T16:55:24,106 INFO [main] metastore.PersistenceManagerProvider: Configuration datanucleus.autoStartMechanismMode is not set. Defaulting to 'ignored'

2019-12-10T16:55:24,107 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@17477bbb, with PersistenceManager: null will be shutdown

2019-12-10T16:55:24,107 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@17477bbb, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@40fee459 created in the thread with id: 1

2019-12-10T16:55:24,113 INFO [main] metastore.HiveMetaStore: Created RawStore:

org.apache.hadoop.hive.metastore.VerifyingObjectStore@17477bbb from thread id: 1
2019-12-10T16:55:24,113 INFO [main] metastore.HiveMetaStore: HMS server filtering is disabled by configuration
2019-12-10T16:55:24,114 INFO [main] metastore.RetryingMetaStoreClient: RetryingMetaStoreClient proxy=class org.apache.hadoop.hive.ql.metadata.SessionHiveMetaStoreClient ugi=hiveptest (auth:SIMPLE) retries=1 delay=1 lifetime=0
2019-12-10T16:55:24,114 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_databases: @hive#
2019-12-10T16:55:24,116 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_tables: db=@hive#default pat=.*
2019-12-10T16:55:24,118 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_databases: @hive#
2019-12-10T16:55:24,119 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_tables: db=@hive#default pat=.*
2019-12-10T16:55:24,122 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_functions: db=@hive#default pat=.*
2019-12-10T16:55:24,125 INFO [main] QTestUtil: Setting up QTestUtil with outDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/./../ql/src/test/results/clientpositive, logDir=/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/junit-qfile-results/clientpositive, clusterType=NONE, confDir=null, initScript=q_test_init_src_with_stats.sql, cleanupScript=q_test_cleanup_src_with_stats.sql, withLlaplo=false, fsType=LOCAL
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.size does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.override does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.metastore.metadb.dir does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.alloc.min does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.hivesite does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.alloc.max does not exist
2019-12-10T16:55:24,178 WARN [main] conf.HiveConf: HiveConf of name hive.dummyparam.test.server.specific.config.metastoresite does not exist
2019-12-10T16:55:24,179 WARN [main] conf.HiveConf: HiveConf of name hive.llap.io.cache.orc.arena.size does not exist
2019-12-10T16:55:24,179 WARN [main] conf.HiveConf: HiveConf of name

hive.stats.key.prefix.reserve.length does not exist

2019-12-10T16:55:24,191 INFO [main] server.ZKDatabase: zookeeper.snapshotSizeFactor = 0.33

2019-12-10T16:55:24,192 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000

2019-12-10T16:55:24,192 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000

2019-12-10T16:55:24,192 INFO [main] server.ZooKeeperServer: Created server with tickTime 2000
minSessionTimeout 4000 maxSessionTimeout 40000 datadir /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-

unit/target/tmp/tmp_5961056802336525809/zookeeper_0/version-2 snapdir

/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-

unit/target/tmp/tmp_5961056802336525809/zookeeper_0/version-2

2019-12-10T16:55:24,192 INFO [main] server.ZooKeeperServer: minSessionTimeout set to 4000

2019-12-10T16:55:24,192 INFO [main] server.ZooKeeperServer: maxSessionTimeout set to 40000

2019-12-10T16:55:24,192 INFO [main] server.NIOServerCnxnFactory: Configuring NIO connection
handler with 10s sessionless connection timeout, 2 selector thread(s), 16 worker threads, and 64 kB
direct buffers.

2019-12-10T16:55:24,192 INFO [main] server.NIOServerCnxnFactory: binding to port
0.0.0.0/0.0.0.0:53030

2019-12-10T16:55:24,193 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_5961056802336525809/zookeeper_0/version-2/snapshot.0

2019-12-10T16:55:24,194 INFO [main] persistence.FileTxnSnapLog: Snapshotting: 0x0 to
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/tmp_5961056802336525809/zookeeper_0/version-2/snapshot.0

2019-12-10T16:55:24,196 INFO [NIOWorkerThread-1] command.AbstractFourLetterCommand: Stat
command output

2019-12-10T16:55:24,196 INFO [main] testutils.MinizooKeeperCluster: Started MiniZooKeeperCluster
and ran successful 'stat' on client port=53030

2019-12-10T16:55:24,196 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:53030 sessionTimeout=120000

watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@76134251

2019-12-10T16:55:24,199 INFO [SyncThread:0] persistence.FileTxnLog: Creating new log file: log.1

2019-12-10T16:55:24,308 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145bc060000 closed

2019-12-10T16:55:24,308 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:53030 sessionTimeout=120000

watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@6dc2e473

2019-12-10T16:55:24,311 INFO [main] SessionState: Hive Session ID = affefe86-6b53-4384-81a5-79d5f67c513f

2019-12-10T16:55:24,312 INFO [main] DependencyResolver: ivysettings.xml file not found in
HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-

source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,313 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e on fs with scheme file

2019-12-10T16:55:24,313 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/689e260c-7d70-4409-b76e-1416a786936e on fs with scheme file

2019-12-10T16:55:24,314 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Cleaning up thread local RawStore...

2019-12-10T16:55:24,314 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@17477bbb, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@40fee459 will be shutdown

2019-12-10T16:55:24,314 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=Done cleaning up thread local RawStore

2019-12-10T16:55:24,323 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/affefe86-6b53-4384-81a5-79d5f67c513f

2019-12-10T16:55:24,326 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/affefe86-6b53-4384-81a5-79d5f67c513f

2019-12-10T16:55:24,329 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/affefe86-6b53-4384-81a5-79d5f67c513f/_tmp_space.db

2019-12-10T16:55:24,331 INFO [main] metastore.HiveMetaStoreClient: HMS client filtering is enabled.

2019-12-10T16:55:24,332 INFO [main] metastore.HiveMetaStore: 0: Opening raw store with implementation class:org.apache.hadoop.hive.metastore.VerifyingObjectStore

2019-12-10T16:55:24,332 WARN [main] metastore.VerifyingObjectStore: VerifyingObjectStore is being used - test run

2019-12-10T16:55:24,332 INFO [main] metastore.PersistenceManagerProvider: Configuration datanucleus.autoStartMechanismMode is not set. Defaulting to 'ignored'

2019-12-10T16:55:24,333 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@153409b8, with PersistenceManager: null will be shutdown

2019-12-10T16:55:24,333 INFO [main] metastore.ObjectStore: RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@153409b8, with PersistenceManager: org.datanucleus.api.jdo.JDOPersistenceManager@511bfbb0 created in the thread with id: 1

2019-12-10T16:55:24,338 INFO [main] metastore.HiveMetaStore: Created RawStore: org.apache.hadoop.hive.metastore.VerifyingObjectStore@153409b8 from thread id: 1

2019-12-10T16:55:24,338 INFO [main] metastore.HiveMetaStore: HMS server filtering is disabled by

configuration

2019-12-10T16:55:24,339 INFO [main] metastore.RetryingMetaStoreClient: RetryingMetaStoreClient proxy=class org.apache.hadoop.hive.ql.metadata.SessionHiveMetaStoreClient ugi=hiveptest (auth:SIMPLE) retries=1 delay=1 lifetime=0

2019-12-10T16:55:24,339 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_databases: @hive#

2019-12-10T16:55:24,340 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_tables: db=@hive#default pat=.*

2019-12-10T16:55:24,341 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_databases: @hive#

2019-12-10T16:55:24,342 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_tables: db=@hive#default pat=.*

2019-12-10T16:55:24,345 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr cmd=get_functions: db=@hive#default pat=.*

2019-12-10T16:55:24,400 INFO [main] metadata.HiveMaterializedViewsRegistry: Using dummy materialized views registry

2019-12-10T16:55:24,401 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,409 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826

2019-12-10T16:55:24,412 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/16d78567-6193-4ee7-b24f-3c74dade7826

2019-12-10T16:55:24,415 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826/_tmp_space.db

2019-12-10T16:55:24,519 INFO [main] zookeeper.ZooKeeper: Session: 0x100014598da0001 closed

2019-12-10T16:55:24,520 INFO [main] zookeeper.ZooKeeper: Initiating client connection, connectString=localhost:55264 sessionTimeout=120000

watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@169d4aba

2019-12-10T16:55:24,522 INFO [main] SessionState: Hive Session ID = 31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad

2019-12-10T16:55:24,523 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,524 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-

unit/target/tmp/scratchdir/hiveptest/16d78567-6193-4ee7-b24f-3c74dade7826 on fs with scheme file
2019-12-10T16:55:24,524 INFO [main] session.SessionState: Deleted directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/localscratchdir/16d78567-6193-4ee7-b24f-3c74dade7826 on fs with scheme file
2019-12-10T16:55:24,525 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=Cleaning up thread local RawStore...
2019-12-10T16:55:24,525 INFO [main] metastore.ObjectStore: RawStore:
org.apache.hadoop.hive.metastore.VerifyingObjectStore@153409b8, with PersistenceManager:
org.datanucleus.api.jdo.JDOPersistenceManager@511bfbb0 will be shutdown
2019-12-10T16:55:24,525 INFO [main] HiveMetaStore.audit: ugi=hiveptest ip=unknown-ip-addr
cmd=Done cleaning up thread local RawStore
2019-12-10T16:55:24,532 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad
2019-12-10T16:55:24,535 INFO [main] session.SessionState: Created local directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/localscratchdir/31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad
2019-12-10T16:55:24,538 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad/_tmp_space.db
2019-12-10T16:55:24,539 INFO [main] metadata.HiveMaterializedViewsRegistry: Using dummy
materialized views registry
2019-12-10T16:55:24,540 INFO [main] DependencyResolver: ivysettings.xml file not found in
HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-
source/conf/ivysettings.xml will be used
2019-12-10T16:55:24,547 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b
2019-12-10T16:55:24,550 INFO [main] session.SessionState: Created local directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/localscratchdir/ad4babae-3334-4b96-9a6a-bee3072f229b
2019-12-10T16:55:24,553 INFO [main] session.SessionState: Created HDFS directory:
/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-
unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b/_tmp_space.db
2019-12-10T16:55:24,680 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145b9fe0001 closed
2019-12-10T16:55:24,681 INFO [main] zookeeper.ZooKeeper: Initiating client connection,
connectString=localhost:53303 sessionTimeout=120000
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@19fc0ef7
2019-12-10T16:55:24,682 INFO [main] SessionState: Hive Session ID = 8c8d3dcc-7d23-43f2-9df1-

3d0adc6739fe

2019-12-10T16:55:24,683 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,684 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/ad4babae-3334-4b96-9a6a-bee3072f229b on fs with scheme file

2019-12-10T16:55:24,684 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/ad4babae-3334-4b96-9a6a-bee3072f229b on fs with scheme file

2019-12-10T16:55:24,692 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/8c8d3dcc-7d23-43f2-9df1-3d0adc6739fe

2019-12-10T16:55:24,694 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/8c8d3dcc-7d23-43f2-9df1-3d0adc6739fe

2019-12-10T16:55:24,697 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/8c8d3dcc-7d23-43f2-9df1-3d0adc6739fe/_tmp_space.db

2019-12-10T16:55:24,699 INFO [main] metadata.HiveMaterializedViewsRegistry: Using dummy materialized views registry

2019-12-10T16:55:24,700 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,706 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e

2019-12-10T16:55:24,709 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/689e260c-7d70-4409-b76e-1416a786936e

2019-12-10T16:55:24,711 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e/_tmp_space.db

2019-12-10T16:55:24,816 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145bb130001 closed

2019-12-10T16:55:24,816 INFO [main] zookeeper.ZooKeeper: Initiating client connection, connectString=localhost:61582 sessionTimeout=120000

watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@535be281

2019-12-10T16:55:24,818 INFO [main] SessionState: Hive Session ID = 3b49a76c-97b2-4388-af67-213f7e67b033

2019-12-10T16:55:24,819 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,819 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/689e260c-7d70-4409-b76e-1416a786936e on fs with scheme file

2019-12-10T16:55:24,820 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/689e260c-7d70-4409-b76e-1416a786936e on fs with scheme file

2019-12-10T16:55:24,827 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/3b49a76c-97b2-4388-af67-213f7e67b033

2019-12-10T16:55:24,829 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/3b49a76c-97b2-4388-af67-213f7e67b033

2019-12-10T16:55:24,831 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/3b49a76c-97b2-4388-af67-213f7e67b033/_tmp_space.db

2019-12-10T16:55:24,833 INFO [main] metadata.HiveMaterializedViewsRegistry: Using dummy materialized views registry

2019-12-10T16:55:24,834 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,942 INFO [main] zookeeper.ZooKeeper: Session: 0x1000145bc060001 closed

2019-12-10T16:55:24,943 INFO [main] zookeeper.ZooKeeper: Initiating client connection, connectString=localhost:53030 sessionTimeout=120000
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@641bc9a8

2019-12-10T16:55:24,945 INFO [main] SessionState: Hive Session ID = b4754c7e-302d-4ac6-b350-cc10b1465856

2019-12-10T16:55:24,945 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used

2019-12-10T16:55:24,946 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/affefe86-6b53-4384-81a5-79d5f67c513f on fs with scheme file

2019-12-10T16:55:24,946 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/affefe86-6b53-4384-81a5-79d5f67c513f on fs with scheme file

2019-12-10T16:55:24,953 INFO [main] session.SessionState: Created HDFS directory:

/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/b4754c7e-302d-4ac6-b350-cc10b1465856
2019-12-10T16:55:24,956 INFO [main] session.SessionState: Created local directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/b4754c7e-302d-4ac6-b350-cc10b1465856
2019-12-10T16:55:24,958 INFO [main] session.SessionState: Created HDFS directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/b4754c7e-302d-4ac6-b350-cc10b1465856/_tmp_space.db
2019-12-10T16:55:24,960 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used
2019-12-10T16:55:24,960 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/b4754c7e-302d-4ac6-b350-cc10b1465856 on fs with scheme file
2019-12-10T16:55:24,961 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/b4754c7e-302d-4ac6-b350-cc10b1465856 on fs with scheme file
2019-12-10T16:55:24,965 INFO [main] QTestUtil: No cleanup script detected. Skipping.
2019-12-10T16:55:24,966 INFO [main] conf.HiveConf: Using the default value passed in for log id: 31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad
2019-12-10T16:55:24,989 INFO [31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad main] conf.HiveConf: Using the default value passed in for log id: 31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad
2019-12-10T16:55:24,989 INFO [main] QTestUtil: Initial setup (/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/../../data/scripts/q_test_init_src_with_stats.sql):

2019-12-10T16:55:24,989 INFO [main] QTestUtil: Result from cliDriver.processLine in createSources=0
2019-12-10T16:55:25,093 INFO [main] zookeeper.ZooKeeper: Session: 0x100014598da0002 closed
2019-12-10T16:55:25,094 INFO [main] zookeeper.ZooKeeper: Initiating client connection, connectString=localhost:55264 sessionTimeout=120000
watcher=org.apache.hadoop.hive.ql.QTestMiniClusters\$QTestSetup\$1@183a508b
2019-12-10T16:55:25,095 INFO [main] SessionState: Hive Session ID = 5434d54c-646c-4856-9f64-76b7c5491342
2019-12-10T16:55:25,096 INFO [main] DependencyResolver: ivysettings.xml file not found in HIVE_HOME or HIVE_CONF_DIR,/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/conf/ivysettings.xml will be used
2019-12-10T16:55:25,097 INFO [main] session.SessionState: Deleted directory: /home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/scratchdir/hiveptest/31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad on fs with scheme file
2019-12-10T16:55:25,097 INFO [main] session.SessionState: Deleted directory:

/home/hiveptest/34.69.225.53-hiveptest-2/apache-github-source-source/itests/hive-unit/target/tmp/localscratchdir/31e49f9d-e0fe-4eb9-bd35-c04a0c3168ad on fs with scheme file